

Maharashtra University of Health Sciences, Nashik
Inspection Committee Report for Academic Year 2025- 2026

Clinical Material in Hospital


Name of College/Institute - Anandi Institute Of Nursing, Kalambe Tarf Kale
 Faculty – B. Sc Nursing

HOSPITAL DETAILS

Sr. No.	Particulars to be verified	Particular	Adequate/ Inadequate
1	The Institute /College shall execute a MOU with any institute for affiliation of hospital in addition to minimum 100 bedded Own /parent Hospital (Affiliated hospital must be 50 bedded or more.) To be made available on website	Yes	Adequate
a.	Whether Hospital is registered under any act under Local Authority such as Corporation, Municipality, Gram Panchayat etc.: Copy to be made available on web site	Yes	Adequate
b.	Student Bed Ratio for UG & PG to be verified :(As per MSR) Calculate at Actual ...1:6	Yes	Adequate
c.	Average Bed Occupancy in % : (Minimum 75%)	Yes	Adequate
d.	Clinical facilities for PG to be verified:-(As per MSR)	N/A	
	(i) Whether OPD is functioning to be verified (ii) Total No of OPD (on the day of inspection) (iii) Average Number of patients attending OPD (current year) (iv) Average Number of Delivery (Current year) (v) Average Number of abnormal Delivery (Current year)	Yes	Adequate
<ul style="list-style-type: none"> As per Central Council Norms/ University Norms, above Infrastructure must be available at College. If Infrastructure is available, then mark "Adequate"& do not attach any Documents it should be available on college website In case of "Inadequate", it must be marked as "Inadequate" with evidence. To be submit to university with report 			

Here we declare all relevant document up loaded are clear and visible on website & are true as per my knowledge & Belief
 Any Other, Please Specify:-

Date:- 10/02/2025




P.M.
Principal
Anandi Institute of Nursing
 Dean/Principal Stamp & Signature
 Kalambe Tarf Kale, Tal. Karveer
 Dist. Kolhapur

Chairman of LIC

Member Of LIC

Member Of LIC



महाराष्ट्र MAHARASHTRA

© 2023 ©

CA 496836

वि. नं. 4833 किंमत रुपये 100 दिनांक 22/10/2023

नाव..... आनंदी शिक्षण प्रसारक मंडळ...

यांनी कळवे तर्फे कळे ता. करवीर, जि. कोल्हापूर.

र.रु. 400 भरतीचा स्टॅम्प दिला असे

हस्ते. 400

Amr

रा. का. का. का.



Sub-Treasury Office
Panhala

4 OCT 2023

पुस्तक विक्रेता सही
कांड नं. 2609096
परशुराम ना सुर्यवंशी
रा. कळे, ता. पन्हाळा.




MEMORANDUM OF UNDERSTANDING


I undersigned Dr. Abhijit Kishor Korane member of Anandi Shikshan Prasarak Mandal, Kalambe Tarf Kale, Tal- Karveer, Dist- Kolhapur and owner of SUNRISE MULTISPECIALITY HOSPITAL, KOLHAPUR do hereby undertaking the following.

1. Anandi Shikshan Prasarak Mandal, Kalambe Tarf Kale, Tal- Karveer, Dist- Kolhapur sanchalit Anandi Institute of Nursing, Kalambe Tarf Kale, Tal- Karveer, Dist- Kolhapur is conducting B.Sc. Nursing programme.
2. SUNRISE MULTISPECIALITY HOSPITAL, KOLHAPUR situated at C.S. No. 517 A/1, Plot No. 70 'E' Ward, Near Hotel K-Tree, Shivaji Park Kolhapur which is a 100 bedded multispeciality Hospital.
3. The Hospital is be fully owned by me
4. I am holding position of member in Anandi Shikshan Prasarak Mandal, Kalambe Tarf Kale, Tal- Karveer, Dist- Kolhapur
5. The hospital is permitted to get all type of clinical experience for students of this institute
6. The hospital will not allow to get affiliation for any other nursing institute in future
7. This affiliation to Anandi Institute of Nursing, Kalambe Tarf Kale, Tal- Karveer, Dist- Kolhapur will remains valid for permanent or till the institute exists
8. Whatever clinical requirements for student will be fulfilled as per curriculum from time to time.
9. MoU between institute & Parent Hospital shall be 30 years

Deponent No. 1

 **DR. ABHIJIT K. KORANE**
MD.DNB.(MED)DNB(NEPHRO)
SUNRISE HOSPITAL
Reg. No. 2003/1/114

Deponent No. 2


 **Chairman**
Anandi Shikshan Prasarak
Mandal, Kalambe Tarf Kale.
Tal. Karvee, Dist. Kolhapur

I Know The
Deponant/Signetory

शुभम कांम्प्युटर

2321 सी बॉर्ड, माऊनिंगबी रोड, कोल्हापूर
बॉन्ड रायटर डी. बी. कांबळे

Parties are informed to register
the above document at register
office on Proper Stamp

 **PRATAP B. JADHAV**
Advocate & Notary
'Rajaram Villa' 1631, C Ward
Shivaji Road, Kolhapur

Notary Regl. Sr. No. 2930/2023

17 OCT 2023



KOLHAPUR MUNICIPAL CORPORATION



कोल्हापूर महानगरपालिका
संस्थापित १९००-१९०१ ई.स. १९५७-५८ ई.स.

(Health Department)

FORM 'C'



(See Rule 5)

Certification of Registration section 5 of the Bombay Nursing Homes
Registration Act. 1949

CERTIFICATE

No. 442

This is to Certify that Shri. / Smt. **DR ABHIJIT KISHOR KORANE** has been
registered under the Bombay Nursing Homes Registration Act 1949. in respect of
SUNRISE HOSPITAL / K & R NURSING CENTER PVT LTD situated at
C.S.NO 517 A 1 PLOT NO 70 E WARD NEAR HOTEL K TRPE SHIVAJI
PARK KOLHAPUR and has been authorised to carry on the said nursing home.

Registration No. : 442
Date of Registration : 21-Nov-2017
Place : Kolhapur
Date of issue of Certificate : 23-May-2022
No. of Bed : 100

This Certificate of registration shall be valid up to 31-Mar-2025

The name of **DR ABHIJIT KISHOR**
KORANE

Local Supervising Authority



Kolhapur Municipal Corporation.

Kolhapur.

Medical officer of Health
Kolhapur Municipal Corporation
(Signature of the registering authority.)

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 0231-2652952
0231-2660448
Fax: 0231-2652952
Website: <http://mpcb.gov.in>
Email: rokolhapur@mpcb.gov.in

Maharashtra Pollution
Control Board, Udyog
Bhavan Building, Near
Collectorate Office,
Kolhapur - 416 002

RED/S.S.I

Date: 12/12/2022

No:- Format1.0/RO/UAN

No.0000147191/CO/2212000741

To,
SUNRISE HOSPITAL (K AND R NURSING CENTER PVT
LTD)
C.S.NO-517, A/1, PLOT NO-70, E WARD, NEAR HOTEL
K. TREE, SHIVAJI PARK, KOLHAPUR
TAL. KARVEER, DIST. KOLHAPUR.



Your Service is Our Duty

Sub: Granted Combine Consent to Operate for BMW Authorizing under Red Category

Ref: Your application for Combine Consent and Bio-Medical Authorization dated 07.09.2022

Combined Consent to Operate and BMW Authorization.

For: Under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 and Bio-Medical Waste Management Rules, 2016 and amendment thereof is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

- The Combined Consent to Operate and BMW authorization is granted upto: 31.08.2025**
- The capital investment of the project is Rs.13.95 Crs. (As per C.A Certificate submitted by industry).**
- The Consent is valid for the Activity of**

Sr No	Activity	Quantity	UOM
1)	Hospital		
a)	Beds	100	Nos
b)	Total Plot Area	732.50	Sq.Mtrs
c)	Total Built up Area	1281.99	Sq.Mtrs

- Conditions under Water (P&CP) Act, 1974 for discharge of effluent:**

Sr No	Description	Permitted (in CMD)	Standards to Achieve	Disposal
1.	Trade effluent	0	As per Schedule -I	NA
2.	Domestic effluent	12	As per Schedule - I	On Land for Gardening

- Conditions under the Air (P& CP) Act, 1981 for air emissions:**

Sr.No	Description of stack / source	Number of Stack	Standards to be achieved
1	NA	0	As per Schedule -II

6. Conditions under Hazardous & Other Wastes (M & T M) Rules 2008 for treatment and disposal of hazardous waste:

Sr No	Type of Waste	HW Category.	Quantity	UoM	Treatment	Disposal
1		NA	0	--NA--	NA	NA

7. Conditions about Non Hazardous Wastes:

Sr No	Type of Waste	Quantity	UoM	Treatment	Disposal
1	Category No. 1 Human Anatomical Waste	80	Kg/M	NA	CBMWTSDF (M/S. S.S. SERVICES)
2	Category No 3 Microbiology & Biotechnology Waste	90	Kg/M	NA	CBMWTSDF (M/S. S.S. SERVICES)
3	Category No 4 Waste sharps	110	Kg/M	NA	CBMWTSDF (M/S. S.S. SERVICES)
4	Category No 5 Discarded Medicines and Cytotoxic drugs	5	Kg/M	NA	CBMWTSDF (M/S. S.S. SERVICES)
5	Category No 6 Solid Waste	110	Kg/M	NA	CBMWTSDF (M/S. S.S. SERVICES)
6	Category No. 7 Solid Waste	35	Kg/M	NA	CBMWTSDF (M/S. S.S. SERVICES)

8. Treatment and Disposal of Biomedical Waste generated to CBMWTSDF:

Sr.No	Category	Type of Waste	Quantity not to exceed (Kg/M)	Segregation Color coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	80.00	Yellow colored non-chlorinated plastic bags or containers	S. S. Services Kasaba Bawada Kolhapur
		b) Soiled Waste	110.00		
		c) Expired or Discarded Medicines	5.00		
		d) Microbiology Biotechnology and other clinical laboratory waste	90.00		
2	Red	Contaminated waste (Recyclable)	35.00	Red colored non chlorinated plastic bags or containers	S. S. Services Kasaba Bawada Kolhapur
3	White (Translucent)	Waste sharps including Metals	110.00	Puncture proof, Leak proof, tamper proof container	S. S. Services Kasaba Bawada Kolhapur

9. PP shall comply the following guidelines published by the CPCB on February-2019 regarding handling of BMW for utilization

1. HCE shall preferably handover Bio-medical wastes such as pleural fluid, ascetic fluid, HBsAG positive blood, placenta etc. to the Pharmaceutical industry / Biotechnology firms for production of drugs, reagent chemicals, markers etc. if any such as Pharmaceutical industry / Biotechnology firm approaches them for the same. If there are any difficulties in the matter, the same may be communicated to such firm and copied to the board also.
2. HCE shall strictly follow the procedure for packaging & transportation of Bio-medical Wastes such as pleural fluid, ascetic fluid, HBsAG positive blood, placenta etc. to the Pharmaceutical industry / Biotechnology firms as per the guidelines of CPCB published in Feb-2019 for "Handling of BMW for utilization".
3. HCEs shall submit the report to the Board office about type, quantity and frequency of handling over such BMW on yearly basis.
4. Industry to enter into legal agreement with HCE's and inform the MPC Board and competent authority of State Public Health Department about such collection of BMW along with quantity and type of waste collected.
5. In case of any technical difficulty towards handing over the required BMW, you shall inform to the Board accordingly.
6. HCEs shall properly dispose and handover the waste to authorised user / facilities having valid consent to operate from MPCB.
10. This consent is issued subject to conditions mentioned below:
 - a. The "authorized Person" shall comply with provisions of the Environment (Protection) Act, 1986, and the Rules made there under.
 - b. Any unauthorized change in equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this Authorization.
 - c. You shall submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs generated in the Cancer centers, research and health care in the format prescribed by CPCB which is available on www.cpcb.nic.in alongwith Annual Report to MPCB with a copy to CPCB before 31st January every year.
 - d. You shall manage the Mercury Waste in the HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per CPCB guidelines published on CPCB website www.cpcb.nic.in dated: 07.09.2010 as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities".
 - e. You shall ensure phase out of chlorinated plastic bags, gloves and blood bags by HCEs within two years.
 - f. You shall establish Bar code system within one year.
 - g. You shall ensure that the liquid waste is treated and disposed by all the occupier or operator of a CBWTF in accordance with the Water Act, 1974;
 - h. You shall maintain day to day basis and display the monthly record Including Annual report on its website within two years from the date of Notification.
 - i. You shall submit separate Bank Guarantees towards compliance of condition mentioned at Annexure - IV to Regional Office, within 30 days.
 - j. You shall submit compliance of Bank Guarantee conditions every six months to Regional Officer, for verification purpose.
 - k. You shall submit application for renewal of Combined Consent and Biomedical Waste authorization before 120 days along with appropriate fees.
11. This Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
12. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies.

Received Consent fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	150000.00	TXN2209000751	07/09/2022	Online Payment
2	2466.00	TXN2212001679	12/12/2022	Online Payment
3	7500.00	TXN2209000750	07/09/2022	Online Payment

0

Copy to:

1. Regional Officer, MPCB, Kolhapur and Sub-Regional Officer, MPCB, Kolhapur
- They are directed to ensure the compliance of the consent conditions.
2. Cheif Accounts Officer, MPCB,Sion, Mumbai



J. S. Salunkhe

Generated by Printlock
5aaf2d9b
1a89b057
3da8c4af
f1bbb6f5
d7005aa8
f1385dec
bbe571d5
11f960cf

Signed by: **J. S. Salunkhe**
Regional Officer
For and on behalf of,
Maharashtra Pollution Control Board
rokolhapur@mpcb.gov.in
2022-12-12 17:43:13 IST



SCHEDULE-I

Terms & conditions for compliance of Water Pollution Control:

1. A] Generation - Nil
B] Treatment - NA
C] Disposal - NA
2. A] As per your application, you have provided Septic Tank followed by Soak pit for the treatment of 12 CMD of sewage.
B] The treated sewage shall be recycled for secondary purposes to the maximum extent and remaining shall be discharged on land for gardening within premise and remaining shall be disposed in sewerage system provided by local body. In no case, sewage shall find its way for gardening / outside hospital premises.
3. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.
4. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
5. The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, by installing water meters and other provisions as contained in the said act:

<i>Sr. No.</i>	<i>Purpose for water consumed</i>	<i>Water consumption quantity (CMD)</i>
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	18.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Gardening	0

6. The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance/ CREP guidelines.

SCHEDULE-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided the Air pollution control (APC) system and erected following stack (s) to observe the following fuel pattern:

Stack No.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity & UoM	S%	SO ₂
1	NA NA	NA	0	NA	0 --NA--	0.00	0.00

2. The applicant shall provide stack height of mtrs operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Total Particulate matter	Not to exceed	150 mg/Nm ³
--------------------------	---------------	------------------------

3. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
4. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
5. Conditions for D.G. Set
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - D.G. Set shall be operated only in case of power failure.
 - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel.

SCHEDULE-III

Details of Bank Guarantees:

Sr. No.	Consent(C2E/C2O/C2R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	C To R Existing Extend	100000/-	Continuous	Towards Previous Authorization Conditions	Continuous	Continuous

** The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days of the date of issue of Consent.
Existing BG obtained for above purpose if any may be extended for period of validity as above.

Statement of conditions to be complied and Bank Guarantee imposed to ensure timely compliance to be observed by:

Sr.No	Activity / Condition to be Complied	Compliance Timeline(Months)	Bank Guarantee Amount
1A	Operation and Maintenance		
1	To Segregate and Handle BMW as per Rule	Continuous	

BG Forfeiture History

Srno.	Consent (C2E/C2O/C2R)	Amount of BG imposed	Submission Period	Purpose of BG	Amount of BG Forfeiture	Reason of BG Forfeiture

NA

BG Return details

Srno.	Consent (C2E/C2O/C2R)	BG imposed	Purpose of BG	Amount of BG Returned

NA

SCHEDULE-IV

General Conditions:

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. You should monitor effluent quality, stack emissions, noise and ambient air quality quarterly
3. You shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/displayed to facilitate identification.
4. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
5. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
6. You shall submit, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992 to Regional Office, , the 30th day of September every year.
7. You shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW (MH&TM) Rules 2008, which can be recycled /processed /reused /recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
8. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2008 and submit the Annual Returns to RO- as per Rule 5(6) & 22(2) of Hazardous Waste (M, H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.
9. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
10. You shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website (www.mpcb.gov.in).
11. You shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
12. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
13. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.

14. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
15. You should not cause any nuisance in surrounding area.
16. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
17. You shall maintain good housekeeping.
18. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement to Regional Office by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
19. The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
20. You shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. You will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
21. You shall submit Six Monthly statement in respect of obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can be downloaded from MPCB official site).
22. You shall submit official e-mail address and any change will be duly informed to the MPCB, forthwith.
23. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dtd. 16.11.2009 as amended
24. You shall observe provisions of E-waste (Management and Handling) Rules 2011 and Battery Waste (Management and Handling) Rules 2001, as amended.

This certificate is digitally & electronically signed.



महाराष्ट्र MAHARASHTRA

© 2023 ©

CA 709997

18 OCT 2023

Handwritten signature

दिनांक

वि.मं..... स्टॅम्प किंमत रु.

अध्यक्ष

श्री. आनंदी शिक्षण प्रसारक मंडळ *दिले आनंदी शिक्षण प्रसारक मंडळ*

कळंबे तर्फे कळे. ता. करणीर.....

जि. कोल्हापूर

यांचे रु. (*500*) दिले स्टॅम्प कोड क्र. २६०१०२५


अफेडेव्हीट, करारपत्र, मॉरगेज, मुखपत्र व खरेदी पत्र

Handwritten signature



16 OCT 2023

STAMP HEAD CLERK
TREASURY OFFICE
KOLHAPUR (M.S.)



MEMORANDUM OF UNDERSTANDING

I undersigned Anandi Shikshan Prasarak Mandal, Kalambe Tarf Kale, Tal-

Karveer, Dist- Kolhapur and owner of Psychiatric HOSPITAL, KOLHAPUR do hereby undertaking the following.

1. Anandi Shikshan Prasarak Mandal, Kalambe Tarf Kale, Tal- Karveer, Dist- Kolhapur Sanchalit Anandi Institute of Nursing, Kalambe Tarf Kale, Tal- Karveer, Dist- Kolhapur is conducting B.Sc. Nursing programme.
2. Swastik Hospital, situated at 143A/12, E wad, Near Mahaveer Garden, Assembly Road, Kolhapur which is a 20 bedded Psychiatric Hospital.
3. The Hospital is be fully owned by me
4. The hospital is permitted to get all type of clinical experience for students of this institute
5. The hospital will not allow to get affiliation for any other nursing institute in future
6. This affiliation to Anandi Institute of Nursing, Kalambe Tarf Kale, Tal- Karveer, Dist- Kolhapur will remains valid for till the institute exists
7. Whatever clinical requirements for student will be fulfilled as per curriculum from time to time.



Deponent No. 1



Deponent No. 2



I Know The
Deponent/Signatory

शुभम कॉम्प्युटर
2321 सी एम् एम् रोड, कोल्हापूर
बॉम्बे रोड, कोल्हापूर

Parties are informed to register
the above document at register
office on Proper Stamp

Pratap B. Jadhav
15-10-2023

PRATAP B. JADHAV
Advocate & Notary
Rajaram Road, 1801 C Ward
Shivajinagar, Kohapur

Notary Regl. Sr. No.

2973/2023
11 9 OCT 2023



Certificate No. : 115/2020

Certificate

This is to state that Dr. Parshwanath M. Chougule

Name of the health care establishment

Swastik Hospital

Availing our common treatment facility for

Bio-Medical Waste handling and disposal

since 16/10/2021. The number of beds

registered with us is **50 Beds.**

This certificate remains valid up to 31/03/2025

[Subject to compliance of the (Bio-Medical
waste Management and handling)

Rules 1998 and its amendments]

Issued on. 31/03/2023 Authorised Signatory

For Certificate valid before the date of issue



R.S. No. 206, S.S. No. 29, 'E' Ward, Kasaba Bawada, Near
Drainage Plant, Behind Circuit House, Kolhapur-416 003
Mobile : 99701 68017, 93711 00621, 99229 70440

Bio-Medical
Waste
Treatment

Section 8
See Rule 16



48 - A
Annexure II

Renewal of License For Psychiatric Hospital / Nursing Home

I...Dr. Sadhana Tayade..... **Director of Health Services, Maharashtra State Mumbai** by the authority vested in by the State Mental Health Authority vide Government Notification **PHD No.MIS-1088/CR-188/PH-3** Dt. 29th March 1995 under section 8 of **Mental Health Act 1987** hereby declare that I am satisfied after inspection of Swastik Psychiatric Hospital.....

I hereby allow **renewal of license** for the Psychiatric Hospital/Nursing Home by Dr. Parishath Monappa Chougule.....
At...143 A/12, Near Mahavir Garden, Assembly Road, Kolhapur..... Tel No.
From...17/02/2021.....till...16/02/2026.....
License No....27/2021.....

SEAL



SWASTIK HOSPITAL
143 A/12, E, Near Mahavir Garden,
Assembly Road, KOLHAPUR - 416 001
Ph. 0231-2658835

Place : MUMBAI
Date :

(Dr. SADHANA TAYADE)
Licensing Authority
DIRECTOR OF HEALTH SERVICES,
Government of Maharashtra
MAHARASHTRA STATE,
MUMBAI



महाराष्ट्र MAHARASHTRA

2023

87AA 800438

20 FEB-2024

महाराष्ट्र राज्य सरकार
आनंदी शिक्षण प्रसारक मंडळ
ताना शकवळी तर्फे कले, ताल. कारवीर स्टॅप नागितले
१०० - जि. कोल्हापूरचा स्टॅप दिला असे



Sub-Treasury Officer
Panhala



MEMORANDUM OF UNDERTAKING BETWEEN

Anandi Shikshan Prasarak Mandal Kalambe Tarf Kale, Tal. Karveer, Dist. Kolhapur
Sachalit Anandi ANM & GNM College Kalambe Tarf Kale, Tal. Karveer, Dist. Kolhapur

and

Shree Datta Hospital, Balinge

New here in after called as an MOU for association of Anandi Shikshan Prasarak Mandal Kalambe Tarf Kale here after called as Anandi Institute of Nursing Kalambe Tarf Kale, Tal. Karveer, Dist. Kolhapur of the part with Shree Datta Hospital, Balinge registered under Societies registration Act and the Bombay public trusts Act and I registered office Karveer.



Run and maintain hospital in the **Shree Datta Hospital, Balinge** here after called as THE HOSPITAL of the second part, for service attachment of the B.Sc nursing Education institute to, **Anandi Shikshan Prasarak Mandal Kalambe Tarf Kale** of nursing pane. Where as Students of the said Nursing embracing all the speciation and the branches including nursing institutionary required to take specialized training and learning experience in clinical nursing embracing all the speculating and the branches including Training in operation theater and intensive care nursing during 4 year course of nursing education programmed. And whereas the side trues has approached the party **Shree Datta Hospital, Balinge** , And where the party of the second part of the trust established under the Bombay public charitable trust act and main tens the hospital in the name of **Shree Datta Hospital, Balinge** And this hospital in multi-specialty super specialty Hospital Having the capacity of 50 beds and having all the infrastrucher required for the student OF B.Sc Nursing. And where the office off The Foundation has been accepted by the 'The Hospital .and condition which. Fare mutually understood and agreed between the parties and which the parties here to desire to put in writing.

1. The MOU is excited on the initially for the period of 10 Years from the date of commencement of which may extended on mutual consent and agreement.
2. Commencement This MOU shall come into force and be effective form 13/12/2023 provided the foundation gets the recognition of the council form 2023-24 with a period of six month from the date of execution of the MOU.
3. The parties of the first part i.e **Anandi Shikshan Prasarak Mandal Kalambe Tarf Kale**
4. Shall send its 40 Student for the purpose of training and experience to the hospital of the second part.
5. Student to be place/clinical experience.
6. Initially the total number of student placed with be divided in 4 batches and the number may increase in the succeeding year.
7. Clinical area:
 - C) General duty: From Monday to Saturday except during vacation, tests and holiday of the hospital
8.
 - A) The student of the 1st year B.Sc nursing shall be receiving in Medical, Surgical Orthopedic wards and OPD.
 - D) The student of 2nd year B.Sc nursing shall be resaving by their Supervisors on the wards for Orthopedic, Oncology, Cardiology, Neurology and OPD.
9. All the student in every wards and OPD would be accompanied by their Supervisors on the wards for guiding teaching and demonstrating nursing procedures to the student.
10. No students will leave in any ward of department without being supervised by the supervisors appointed for that purpose by the foundation.
11. Rotation of the students will be planned in consolationethic the nursing service Department of the hospital i.e. Matron of the Hospital.




12. Inspection: the authorities appointed by the Government for the purpose of inspection for clinic specialties for the B.Sc Nursing programmed as under
D) Maharashtra State Board of Nursing & paramedical Education, Mumbai
E) India Nursing Council New Delhi
F) Government of Maharashtra Mumbai
13. The demographic data of the required to finish at the time of inspection.
14. Consideration.
15. For their purpose of making the hospital available of training to be the student and for providing clinical facilities to the **Anandi Shikshan Prasarak Mandal Kalambe Tarf Kale** is here by understood between the parties that the foundation shall pay a consideration amount of Rs. 100/- per month per student during their clinical experience. The amount shall be paid by the Cheque **Anandi Institute of Nursing, Kalambe Tarf Kale, Tal- Karveer, Dist- Kolhapur** by the drawn in favor **Shree Datta Hospital, Balinge** or before the 10th of the every month.
16. Termination:-
In case this MOU not viable to the Parties here to for any reasons what so ever the Party shall liberty to termination this MOU by giving one month notice in advance to the other party.
In case any damage or loss to the Hospital through any Students the foundation will legal obligation to make good the same in totality. The decision of hospital shall be final in this regards.



Secretary

Anandi Shikshan Prasarak Mandal
Anandi Shikshan Prasarak Mandal Kalambe Tarf Kale
Tal- Karveer, Dist- Kolhapur.



Shree Datta Hospital, Balinge

Dr. Sardar R. Patil
M.B.B.S

Reg. No. 84714
Shree Datta Hospital
New Balinga, Tal. Karveer

I Know The
Deponent/Signatory

शुभम कॉम्प्युटर

2321 सी बॉर्ड, फाउन्डेशन रोड, कोल्हापुर

मिड गायटर डी. बी. कोल्हापुर

Parties are informed to register
the above document at register
office on Proper Stamp

PRATAP B. JADHAV

Advocate & Notary
"Rajaram Villa" 1631, C Ward
Shivaji Road, Kolhapur

Notary Regl. Sr. No.

- 6 MAR 2024





आरोग्य विभाग, जिल्हा परिषद, कोल्हापूर

(सन १९४९ च्या दि बॉम्बे नर्सिंग होम्स रजिस्ट्रेशन ॲक्टच्या कलम ५ अन्वये दिलेले रजिस्ट्रेशन सर्टिफिकेट)

दि बॉम्बे नर्सिंग होम्स रजिस्ट्रेशन ॲक्ट, १९४९ अन्वये

♦ प्रमाणपत्र ♦

डॉ. श्री./श्रीमती सरदार रघुनाथ पाटील यांचे
श्री हता हॉस्पिटल, बालेगा ताल. कस्बे

येथील नर्सिंग होम/मॅटर्निटी होम रजिस्टर केले असून सदरचे नर्सिंग होम व मॅटर्निटी होम चालविण्यास परवाना देणेत येत आहे.

रजिस्ट्रेशन क्रमांक :- 79

प्रसुतीसाठी कॉटस् :- 20

रजिस्ट्रेशन दिनांक :- 25.09.2022 इतर रुग्णांसाठी कॉटस् :- 30

ठिकाण :- कोल्हापूर

सर्टिफिकेट दिल्याचा दिनांक :-

सदरचे सर्टिफिकेट दिनांक :- 31/03/2025 पर्यंत कार्यवाहीत राहील.

जिल्हा आरोग्य अधिकारी
जिल्हा परिषद, कोल्हापूर

MAHARASHTRA POLLUTION CONTROL BOARD
SUB REGIONAL OFFICE, KOLHAPUR

Phone : 0231-2652952 /2660448

Fax : 0231-2652952

Email : rokolhapur@mpcb.gov.in

Visit At : <http://mpcb.gov.in>



Udyog Bhawan Near Collector Office,

Kolhapur - 416003

LETTER OF BIO-MEDICAL WASTE AUTHORISATION

[Authorisation for Generation of Bio-Medical Wastes under Rule 7(4)]

- I. File number of authorisation and date of issue
MPCB/SRO/KOP/ 606 /13 DATE 28/11/20
- II. **Shree Datta Hospital** is hereby granted an authorisation for generation of biomedical waste on the premises situated at Padali Road, Nave Balinge, Tal-Karveer, Dist-Kolhapur, Maharashtra.
- III. This authorisation shall be in force for a period up to 28.02.2025. An application shall be made by the occupier/operator for renewal 3 Months before expiry of earlier authorisation.
- IV. This authorisation is issued subject to compliance of the conditions stated below and to such other conditions as may be specified in the Rules for the time being in force under the Environment (Protection) Act, 1986.
- V. No of Beds: 50

Terms and Conditions of authorisation

1. The authorized Person shall comply with the provisions of the Environment (Protection) Act, 1986, and the Rules made there under.
2. The authorisation shall be produced for inspection at the request of an officer authorized by the prescribed authority.
3. i) The authorized person shall not rent, lend or sell the biomedical waste or facility.
ii) The authorized person can transfer the BMW generated at above premises to the "Transporter" or "Operator of Facility" authorized by MPCB under Bio-Medical Waste (Management and Handling) Rules, 1998 for collection, transportation, treatment and/or disposal of BMW generated.



4. Any unauthorized change in equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this authorisation.
5. It is the duty of the authorized person to take prior permission of the prescribed authority to close down the facility.
6. The authorisation is granted for generation of Bio-Medical Waste (BMW) in waste categories and quantities listed here in below :

Sr. No.	Category	Quantity	UOM	Treatment & Disposal
1	Cat-1 Human Anatomical waste	1	Kg/M	Bio medical Waste shall be sent to Common BMW Treatment & Disposal facility authorised by MPCB
2	Cat-4 Waste Sharps	1	Kg/M	
3	Cat-5 Discarded Medicines and Cytotoxic drugs	1	Kg/M	
4	Cat-6 Solid Waste	3	Kg/M	
5	Cat-7 Solid Waste (Items contaminated with Blood)	1	Kg/M	

7. The liquid/solid waste generated from the treatment activity (from laboratory and washing, cleaning, housekeeping and disinfecting activities) shall be treated suitably by providing effluent treatment facility to conform the standards prescribed in Schedule V of said Rules and the Environment (Protection) Act, 1986.
8. (i) BMW shall be treated and disposed of in accordance with Schedule I; and in compliance with the standards prescribed in Schedule V of said Rules.
 (ii) You shall setup requisite BMW treatment facilities like incinerator, autoclave / Microwave, shredder etc., at the disposal side in accordance with the BMW rules. You shall disposed of the duly treated BMW and incineration ash in secured land fill site at your own premises / at MSW secured land fill site of Municipal Council authorized by MPCB and duly earmarked for disposal of treated BMW / at common



H.W. treatment & disposal facility setup as per the Hazardous Waste (M & H) Rules, 1989 as amended and authorized by MPCB.


9. (i) BMW shall not be mixed with other wastes or reused, recycled or sold in any form.
- (ii) BMW shall be segregated into containers / bags at the point of generation in accordance with Schedule-II prior to storage, treatment and disposal. The containers shall be labeled according to Schedule III.
- (iii) If a container containing BMW is to be transported from the premises where BMW is generated to any waste treatment facility outside the premises, the container shall, apart from the Label prescribed in Schedule III, also carry information prescribed in Schedule IV and shall be transported by authorized Transporter only.
- (iv) Notwithstanding anything contained in the Motor Vehicles Act, 1988 or Rules there under, BMW shall be transported only in such vehicle as may be authorized for the purpose by the competent authority as specified by the Government.
- (v) No untreated BMW shall be kept stored beyond a period of 48 hours.

10. Standards for waste autoclaving:

The autoclave should be dedicated for the purposes of disinfecting and treating bio-medical waste.

- (I) When operating a gravity flow autoclave, medical waste shall be Subjected to:

- (i) a temperature of not less than 121 C° and pressure of 15 pounds per Square inch (psi) for an autoclave residence time of not less than 60 minutes; or
- (ii) a temperature of not less than 135 C° and a pressure of 31 psi for an autoclave residence time of not less than 45 minutes; or
- (iii) a temperature of not less than 149 C° and a pressure of 52 psi for an autoclave residence time of not less than 30 minutes.



- (II) When operating a vacuum autoclave, medical waste shall be subjected to a minimum of one pre-vacuum pulse to purge the autoclave of all air. The waste shall be subjected to the following.
- (i) a temperature of not less than 121 C° and a pressure of 15 psi for an autoclave residence time of not less than 45 minutes; or
 - (ii) a temperature of not less than 135 C° and a pressure of 31 psi for an autoclave residence time of not less than 30 minutes; or
- (III) Medical waste shall not be considered properly treated unless the time, temperature and pressure indicators indicate that the required time, temperature and pressure were reached during the autoclave process. If for any reasons, time temperature or pressure indicates that the required temperature, pressure or residence time was not reached, the entire load of medical waste must be autoclaved again until the proper temperature, pressure and residence time were achieved.
- (IV) *Recording of operational parameters*.— Each autoclave shall have graphic or computer recording devices which will automatically and continuously monitor and record dates, time of day, load identification number and operating parameters throughout the entire length of the autoclave cycle.
- (V) *Validation test: Spore testing*.— The autoclave should completely and consistently kill the approved biological indicator at the maximum design capacity of each autoclave unit. Biological indicator for autoclave shall be *Bacillus stearothermophilus* spores using vials or spore strips, with at least 1×10^4 spores per milliliter. Under no circumstances will an autoclave have minimum operating parameters less than a residence time of 30 minutes, regardless of temperature and pressure, a temperature less than 121 C° or a pressure, less than 15 psi.
- (VI) *Routine Test*.—A chemical indicator strip/tape that changes color when a certain temperature is reached can be used to verify that a specific temperature has been achieved. It may be necessary to use more than one strip over the waste package at different location to ensure that the inner content of the package has been adequately autoclaved.



11. Every 'Authorized Person' shall submit an Annual Report to the prescribed authority in Form-II by 31st January every year including information about the categories and quantities of BMW handled during the preceding year.
12. (i) Every 'Authorized Person' shall maintain records related to the generation, collection, reception, storage, transportation, treatment, disposal and/or any form of handling of BMW in accordance with these Rules and any guidelines issued.
(ii) All records shall be subject to inspection and verification by the prescribed authority at any time.
13. When any accident occurs at any institution or facility or any other site where BMW is handled or during transportation of such waste, the authorized person shall report the accident in Form III to the prescribed authority forthwith.
14. The Occupier will obey all the lawful instructions issued by the Board Officers from time to time.

For and on behalf of the
Maharashtra Pollution Control Board



(Pramod R. Mane)

I/c Sub Regional Officer, Kolhapur



To
Shree Datta Hospital
Padali Road, Nave Balinge, Tal-Karveer,
Dist-Kolhapur
Maharashtra

Authorization Fees Received:-

Sr. No.	Amount	DD. No.	Date	Drawn On
1	5000	001310	04 Jun 2013	Kumbhi Kasari Sahakari Bank

Copy Submitted to:-

1. Chief Accounts Officer, MPCB Board Mumbai
2. Regional Officer(HQ), MPCB, Sion Mumbai



महाराष्ट्र MAHARASHTRA

© 2023 ©

87AA 800439

20 FEB 2024

नं. ७६४४ अंकित १० रुपये तारखे २१/०२/२४
तय --- आचार्य
आनंदी शिक्षण प्रसारक मंडळ
सना रवळल स्वयं, ता. करवीर सा स्टॅप नागितलेवर
--- १००० ज. जाल्मपूरतीया स्टॅप दिला असे



Sub-Treasury Office
Panhala

८ श्री. ए. श्री

MEMORANDUM OF UNDERTAKING BETWEEN


Anandi Shikshan Prasarak Mandal Kalambe Tarf Kale, Tal. Karveer, Dist. Kolhapur
Sachalit Anandi Institute of Nursing Kalambe Tarf Kale, Tal. Karveer, Dist. Kolhapur

and

Shravasti Hospital,

Shivaji Peth, A Ward, C Ward, Kolhapur

New here in after called as an MOU for association of Anandi Shikshan Prasarak
Mandal Kalambe Tarf Kale here after called as Anandi Institute of Nursing Kalambe Tarf
Karveer, Dist. Kolhapur of the part with Shravasti Hospital, Kolhapur registered under
Societies Registration Act and the Bombay public trusts Act and I registered office Karveer.



Run and maintain hospital in the **Shravasti Hospital, Kolhapur** here after called as THE HOSPITAL of the second part, for service attachment of the **B.SC nursing** Education institute to, **Anandi Shikshan Prasarak Mandal Kalambe Tarf Kale** of nursing pane. Where as Students of the said Nursing embracing all the speciation and the branches including nursing institutionary required to take specialized training and learning experience in clinical nursing embracing all the speculating and the branches including Training in operation theater and intensive care nursing during 4 year course of nursing education programmed, And whereas the side true's has approached the party **Shravasti Hospital, Kolhapur** And where the party of the second part of the trust established under the Bombay public charitable trust act and main tens the hospital in the name of **Shravasti Hospital, Kolhapur** And this hospital in multi-specialty super specialty Hospital Having the capacity of 50 beds and having all the infrastrucher required for the student OF B.Sc Nursing. And where the office off The Foundation has been accepted by the 'The Hospital .and condition which. Fare mutually understood and agreed between the parties and which the parties here to desire to put in writing.

1. The MOU is excited on the initially for the period of 10 Years from the date of commencement of which may extended on mutual consent and agreement.
2. Commencement This MOU shall come into force and be effective form 13/12/2023 provided the foundation gets the recognition of the council form 2023-24 with a period of six month from the date of execution of the MOU.
3. The parties of the first part i.e **Anandi Shikshan Prasarak Mandal Kalambe Tarf Kale**
4. Shall send its 40 Student for the purpose of training and experience to the hospital of the second part.
5. Student to be place/clinical experience.
6. Initially the total number of student placed with be divided in 4 batches and the number may increase in the succeeding year.
7. Clinical area:
 - A) General duty: From Monday to Saturday except during vacation, tests and holiday of the hospital
8.
 - A) The student of the 1st year B.SC nursing shall be receiving in Medical, Surgical Orthopedic wards and OPD.
 - B) The student of 2nd year B.Sc nursing shall be resaving by their Supervisors on the wards for Orthopedic, Oncology, Cardiology, Neurology and OPD.
9. All the student in every wards and OPD would be accompanied by their Supervisors on the wards for guiding teaching and demonstrating nursing procedures to the student.
10. No students will leave in any ward of department without being supervised by the supervisors appointed for that purpose by the foundation.
11. Rotation of the students will be planned in consolationethic the nursing service Department of the hospital i.e. Matron of the Hospital.



15. For their purpose of making the hospital available of training to be the student and for providing clinical facilities to the **Anandi Shikshan Prasarak Mandal Kalambe Tarf Kale** is here by understood between the parties that the foundation shall pay a consideration amount of Rs. 100/- per month per student during their clinical experience. The amount shall be paid by the Cheque **Anandi Institute of Nursing Kalambe Tarf Kale ,Tal- Karveer, Dis- Kolhapur** by the drawn in favor **Shravasti Hospital, Kolhapur** or before the 10th of the every month.

- In case any damage or loss to the Hospital through any Students the foundation will legal obligation to make good the same in totality. The decision of hospital shall be final in this regards.

36 MAR 2024

KOLHAPUR MUNICIPAL CORPORATION

(Health Department)

FORM 'C'



(See Rule 5)
Certification of Registration section 5 of the Bombay Nursing Homes
Registration Act, 1949

CERTIFICATE

No. 478

This is to Certify that Shri / Smt. **DR. SANDIP JATKUMAR SHRAWASTI** has
been registered under the Bombay Nursing Homes Registration Act 1949, in respect of
SHRAWASTI HOSPITAL situated at 1673 A WARD NEAR N P
HIGHSCHOOL VISHWANANDA BUILDING RANKALA ROAD
KOLHAPUR and has been authorised to carry on the said nursing home.

Registration No.

: 478

Date of Registration

: 29-May-2019

Place

: Kolhapur

Date of issue of Certificate

: 22-Apr-2023

This Certificate of registration shall be valid up to 31-Mar-2025.

The name of **DR. SANDIP JATKUMAR SHRAWASTI**

Local Supervising Authority



Kolhapur Municipal Corporation

Kolhapur.

Medical officer of Health
Kolhapur Municipal Corporation
(Signature of the registering authority)

Secretary

Anandi Shikshan Prasarak Mandal
Kalambe Tarf Kale,
Tal. Karveer, Dist. Kolhapur

MAHARASHTRA POLLUTION CONTROL BOARD
SUB REGIONAL OFFICE, KOLHAPUR.

Tel. No. (0231) 2652952,
2660448
Fax No. (0231) 2652952.
E mail-
srokolhapur@mpcb.gov.in



Udyog Bhavan,
Near Collector office,
Kolhapur - 416 003.

"Your Service is Our Duty"

LETTER OF BIO-MEDICAL WASTE AUTHORISATION
[Authorizations for Generation, Collection, Reception, Segregation, Disposal of Bio-Medical Wastes under Rule 7(4)]

- I. File number of authorization and date of issue
SRO-KOLHAPUR/BMW AUTH/2107000350/21 Date- 19/07/2023
- II. **M/s. SHRAWASTI HOSPITAL** is hereby granted an authorization for generation of biomedical waste on the premises situated at, **1673, A Ward, Near Nagoji Patankar High School, Vishwanand Building, Rankala Road, Kolhapur.**
- III. This authorization shall be in force for a period up to **31.12.2025** An application shall be made by the occupier/operator for renewal **3 Months** before expiry of earlier authorization.
- IV. This authorization is issued subject to compliance of the conditions stated below and to such other conditions as may be specified in the Rules for the time being in force under the Environment (Protection) Act, 1986.
- V. No of Beds:50

Terms and Conditions of authorization

1. The authorized Person shall comply with the provisions of the Environment (Protection) Act, 1986, and the Rules made there under.
2. The authorization shall be produced for inspection at the request of an officer authorized by the prescribed authority.
3. i) The authorized person shall not rent, lend or sell the biomedical waste or facility.
ii) The authorized person can transfer the BMW generated at above premises to the "Transporter" or "Operator of Facility" authorized by MPCB under Bio-Medical Waste (Management and Handling) Rules, 1998 for collection, transportation, treatment and/or disposal of BMW generated.
4. Any unauthorized change in equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this authorization.
5. It is the duty of the authorized person to take prior permission of the prescribed authority to close down the facility.



6. The authorization is granted for generation of Bio-Medical Waste (BMW) in waste categories and quantities listed here in below :

Categories and quantities listed here in below :					
Sr. No.	Category	Type of Waste	Quan tity (Kg/ M)	Segregation Colour Coding	Treatment & Disposal
1	Yellow	a) Human Anatomical Waste	2.5	Yellow Colored non- Chlorinated plastic bags	No onsite treatment of BMW is permitted. The above mentioned Bio medical Waste shall be sent to Common BMW Treatment & Disposal facility authorized by MPCB
		b) Animal Anatomical Waste	----		
		c) Solid Waste	10		
		d) Expired or discarded Medicines	3		
		e) Chemical Waste	----		
		f) chemical liquid Waste	----	Separate collection system leading to effluent treatment system	
		g) Discarded linen, mattresses beddings contaminated with blood or body fluid.	10	Yellow colored non – chlorinated plastic bags or suitable packing material.	
	h) Microbiology Biotechnology and other clinical laboratory waste.	---	Autoclave safe plastic bags or containers.		
2	Red	Contaminated waste (Recyclable)	----	Red colored non chlorinated plastic bags or container.	
3	White (Translucent)	Waste Sharps including Metals	5	Puncture proof, leak proof, tamper proof container.	
4	Blue	a) Glass ware	----	Cardboard boxes with blue colored marking.	
		b) Metallic body implants	----		

7. The liquid/solid waste generated from the treatment activity (from laboratory and washing, cleaning, housekeeping and disinfecting activities) shall be treated suitably by providing effluent treatment facility to conform the standards prescribed in Schedule V of said Rules and the Environment (Protection) Act, 1986.

8. (i) BMW shall be treated and disposed of in accordance with Schedule I; and in compliance with the standards prescribed in Schedule V of said Rules.

(ii) You shall setup requisite BMW treatment facilities like incinerator, autoclave / Microwave, shredder etc., at the disposal side in accordance with the BMW rules. You shall disposed of the duly treated BMW and incineration ash in secured land fill site at your own premises / at MSW secured land fill site of Municipal Council authorized by MPCB and duly earmarked for disposal of treated BMW / at common H.W. treatment

(Signature)

& disposal facility setup as per the Hazardous Waste (M & H) Rules, 1989 as amended and authorized by MPCB.

9. (i) BMW shall not be mixed with other wastes or reused, recycled or sold in any form.
- (ii) BMW shall be segregated into containers / bags at the point of generation in accordance with Schedule-II prior to storage, treatment and disposal. The containers shall be labeled according to Schedule III.
- (iii) If a container containing BMW is to be transported from the premises where BMW is generated to any waste treatment facility outside the premises, the container shall, apart from the Label prescribed in Schedule III, also carry information prescribed in Schedule IV and shall be transported by authorized Transporter only.
- (iv) Notwithstanding anything contained in the Motor Vehicles Act, 1988 or Rules there under, BMW shall be transported only in such vehicle as may be authorized for the purpose by the competent authority as specified by the Government.
- (v) No untreated BMW shall be kept stored beyond a period of 48 hours.

10. **Standards for waste autoclaving:**

The autoclave should be dedicated for the purposes of disinfecting and treating bio-medical waste,

- (I) When operating a gravity flow autoclave, medical waste shall be Subjected to:
 - (i) a temperature of not less than 121 C° and pressure of 15 pounds per Square inch (psi) for an autoclave residence time of not less than 60 minutes; or
 - (ii) a temperature of not less than 135 C° and a pressure of 31 psi for an autoclave residence time of not less than 45 minutes; or
 - (iii) a temperature of not less than 149 C° and a pressure of 52 psi for an autoclave residence time of not less than 30 minutes.
- (II) When operating a vacuum autoclave, medical waste shall be subjected to a minimum of one pre-vacuum pulse to purge the autoclave of all air. The waste shall be subjected to the following.
 - (i) a temperature of not less than 121 C° and a pressure of 15 psi for an autoclave residence time of not less than 45 minutes; or
 - (ii) a temperature of not less than 135 C° and a pressure of 31 psi for an autoclave residence time of not less than 30 minutes; or
- (III) Medical waste shall not be considered properly treated unless the time, temperature and pressure indicators indicate that the required time, temperature and pressure were reached during the autoclave process. If for any reasons, time temperature or pressure indicates that the required temperature, pressure or residence time was not reached, the entire load of medical waste must be autoclaved again until the proper temperature, pressure and residence time were achieved.
- (IV) Recording of operational parameters,- Each autoclave shall have graphic or computer recording devices which will automatically and continuously monitor and record dates, time of day, load identification number and operating parameters throughout the entire length of the autoclave cycle.
- (V) *Validation test: Spore testing.* - The autoclave should completely and consistently kill the approved biological indicator at the maximum design capacity of each autoclave unit. Biological indicator for autoclave shall be *Bacillus stearothermophilus* spores using vials or spore strips, with at least 1×10^4 spores per

Ambedkar

milliliter. Under no circumstances will an autoclave have minimum operating parameters less than a residence time of 30 minutes, regardless of temperature and pressure, a temperature less than 121 C° or a pressure, less than 15 psi.

- (VI) Routine Test.—A chemical indicator strip/tape that changes color when a certain temperature is reached can be used to verify that a specific temperature has been achieved. It may be necessary to use more than one strip over the waste package at different location to ensure that the inner content of the package has been adequately autoclaved.
11. Every 'Authorized Person' shall submit an Annual Report to the prescribed authority in Form-II by 31st January every year including information about the categories and quantities of BMW handled during the preceding year.
12. (i) Every 'Authorized Person' shall maintain records related to the generation, collection, reception, storage, transportation, treatment, disposal and/or any form of handling of BMW in accordance with these Rules and any guidelines issued.
(ii) All records shall be subject to inspection and verification by the prescribed authority at any time.
13. When any accident occurs at any institution or facility or any other site where BMW is handled or during transportation of such waste, the authorized person shall report the accident in Form III to the prescribed authority forthwith.
14. The Occupier will obey all the lawful instructions issued by the Board Officers from time to time, if Submit please ignore.
15. You shall submit your BMW membership of CBMWTSDf and Nursing Home Certificate within 2 month failure to which the said authorization will stand cancelled Automatically, please ignore if already submitted.

For and on behalf of the
Maharashtra Pollution Control Board

(Prashant Gaikwad)

Sub Regional Officer, Kolhapur

To,
M/s. SHRAWASTI HOSPITAL
1673, A Ward, Near Nagoji Patankar High School,
Vishwanand Building, Rankala Road, Kolhapur.

Sr. No.	Amount	TXN NO	Date
1	5000.00	TXN2102000891	06-02-2021

Copy Submitted to:-

1. Chief Accounts Officer, MPCB Board Mumbai
2. Regional Officer(HQ), MPCB, Sion Mumbai
3. Regional Officer, MPCB Kolhapur.