

## Maharashtra University of Health Sciences, Nashik

Following documents need to available on web site

**Trust Deed / Bylaws/ Registration Certificate (Trust / Hospital (Bombay Nursing Act))**

Faculty...B. Sc. Nursing

Name of College/Institute...Anandi Institute of Nursing, Kalambe tarf Kale, Tal: Karvir,  
Dist: Kolhapur.

Name of Trust / Society	Anandi Shikshan Prasarak Mandal, Kalambe tarf Kale, Tal: Karvir, Dist: Kolhapur.
Registration Certificate To be uploaded on web site clear and original copy	Trust / Society :- To be uploaded on web site Maha/22772/Kop, Dated- 11/09/2006
	Trust Deed / Bylaws:- To be uploaded on web site F-20488/Kop, Dated-17/05/2008
	Hospital Ownership Documents:- Own
	Hospital (Bombay Nursing Act) :- To be uploaded on web site
MPCB Certificate of Parent Hospital :- To be uploaded on web site	
Hospital Type as Per Bombay Nursing Act :- Nursing Home and Maternity Home	
Hospital (Bombay Nursing Act) issuing Authority :- District Health Office, Kolhapur	
Hospital Bed as per Certificate:- 100	
Name of the College / Institute (As per First Affiliation letter)	: Anandi Shikshan Prasarak Mandal, Kalambe tarf Kale, Tal: Karvir, Dist: Kolhapur. Anandi Institute of Nursing, Kalambe tarf Kale, Tal: Karvir, Dist: Kolhapur.
Address	: Kalambe tarf Kale, Post: Koparde, Tal: Karvir, Dist: Kolhapur. 416205
Email ID	: anandinusing8168@gmail.com
Telephone / Mobile No.(s)	: 9421175722, 9822101026
Website	: www.anandinursingkolhapur.in
College Code	: 152152

Here by I declare all relevant document uploaded are clear and visible on web site & are true as per my best knowledge  
Any Other, Please Specify:-

Date:- 16/01/2026



**PRINCIPAL**  
Dean/ Principal Stamp & Signature  
Anandi Institute of Nursing  
Kalambe Tarf Kale, Tal. Karvir,  
Dist. Kolhapur

Chairman of LIC

Member Of LIC

Member Of LIC

[विशेष-घ. आ. (मुं. सा. वि.) ५०-म.

No. 060058



## नोंदणी प्रमाणपत्र

संस्था नोंदणी अधिनियम, १८६०

(१८६० चा अधिनियम २१)

नोंदणी क्रमांक : ४१६१/२२७७२/१९९०

याद्वारे असे प्रमाणित करण्यात येते की, काळी विभागाच्या पुस्तकात असे

नोंदणी क्रमांक ४१६१/२२७७२/१९९०, ता. २२/०६/१९९०, जि. कोल्हापूर

खालील तारखेस संस्था नोंदणी अधिनियम, १८६० (सन १८६० चा अधिनियम २१) अन्वये योग्यरित्या नोंदणी करण्यात आली.



१९९०/०६/२०

रोजी माझ्या सहीनिशी दिले.

सहाय्यक संस्था निबंधक  
संस्थांचे सहाय्यक निबंधक,  
कोल्हापूर क्षेत्र  
विभाग.



७६२

## नोंदणी प्रमाणपत्र

याद्वारे प्रमाणपत्र देण्यात येते की, खाली वर्णन केलेली सार्वजनिक विश्वस्तव्यवस्था ही आज, मुंबई सार्वजनिक

विश्वस्तव्यवस्था अधिनियम, १९५० (सन १९५० चा मुंबई अधिनियम २९) या अन्वये कोल्हापूर

विभाग, कोल्हापूर येथील सार्वजनिक विश्वस्तव्यवस्था नोंदणी कार्यालयात योग्य रीतीने नोंदण्यात आलेली आहे.

सार्वजनिक विश्वस्तव्यवस्थेचे नाव : आनंदी शिक्षण प्रसादक भंडूक

ककंबे तर्फे कके पो. कोपाडे ता. करवीर जि. कोल्हापूर

सार्वजनिक विश्वस्तव्यवस्थांच्या नोंदणी पुस्तकातील क्रमांक राफ - २०४८८ को

श्री. सतिश पांडुरंग देसाई यांस प्रमाणपत्र दिले.

आज दिनांक १०/०५/२००८ १९९ रोजी माझ्या सहीनिशी दिले.



सही [Signature]  
१७-०५-२००८  
पदनाम प्र. घर्मावाय उप आयुक्त  
कोल्हापूर विभाग, कोल्हापूर

व. १६/२०२३/१०८८

पत्र क्र. १०८८/२०२३

(कानून १३ (१) पहा)

पब्लिक ट्रस्ट रजिस्ट्रेशन ऑफिस येथे ठेवण्यात आलेल्या रजिस्ट्रात नोंदविलेल्या पब्लिक ट्रस्टच्या केलेल्या नोंदीतील झालेल्या बदलाबाबत अगर दृष्ट अशा करावयाच्या बदलाबाबतचा करावयाचा रिपोर्ट कार्यकारी मंडळातील बदलाबाबत.

जि. ६-०१

सार्वजनिक ट्रस्टचा रजिस्ट्रेशन नंबर - एफ/२०४८८/कोल्हापूर/१८/१०/२३  
सार्वजनिक ट्रस्टचे नांव - आनंदी शिक्षण प्रसारक मंडळ ०५/१२/२३  
सार्वजनिक ट्रस्टचा पत्ता - कळंबे तर्फे कळे, पो. कोल्हापूर, जि. कोल्हापूर. ०७/१२/२३

बदलाचे स्वरूप	बदलाचे कारण	शेरे
संस्थेची कार्यकारी मंडळाची मुदत संपलेने संस्थेचे रेकॉर्डवरील खालील पदाधिकारी व सदस्यांची नांवे कमी करणेत यावीत.	कार्यकारी मंडळाची मुदत संपलेने आनंदी शिक्षण प्रसारक मंडळ वर्षावारी नोंदणी कार्यात वार्षिक सर्वसाधारण सभा दिनांक १७/१०/२०२१ ठरान नं. ४ नुसार कार्यकारी मंडळाची निवड झालेने.	१) वार्षिक सभा नोंदीस व पोहोच झेरोक्स २) वार्षिक सर्वसाधारण सभा उपस्थिती नोंद झेरोक्स. ३) वार्षिक सभेचे इतिवृत्त (प्रोसिडींग) झेरोक्स. ४) ना हरकत पत्र मुळ ५) संमतीपत्र मुळ ६) सभासंद यादी झेरोक्स ७) घटनाप्रत झेरोक्स ८) मध्यत दाखला श्रीपती रामचंद्र पाटील ९) नवीन सदस्यांची ओळखपत्रे झेरोक्स ८) विलंब माफीचा अर्ज मुळ.
खालील नांवे सन २०२१ ते २०२६ अखेरचे नवीन कार्यकारी मंडळ म्हणून रेकॉर्डवर नोंद करावीत.		
१. श्री. सतीश पांडुरंग देसाई, अध्यक्ष २. श्री. पांडुरंग बापु देसाई, उपाध्यक्ष ३. कु. विद्या श्रीपती पाटील, रोक्नेटरी ४. श्रीमती आनंदी श्रीपती पाटील, खजानिस ५. सौ. सुनिता नामदेव अतिथी, सदस्य ६. सौ. माया रशिकांत साळोखे, सदस्य		
१. श्री. सतीश पांडुरंग देसाई, अध्यक्ष २. श्री. पांडुरंग बापु देसाई, उपाध्यक्ष ३. कु. विद्या श्रीपती पाटील, रोक्नेटरी ४. श्रीमती आनंदी श्रीपती पाटील, खजानिस ५. सौ. सुनिता नामदेव अतिथी, सदस्य ६. सौ. माया रशिकांत साळोखे, सदस्य ७. सौ. आनंदी पांडुरंग देसाई, सदस्य ८. सौ. वंदना सतिश इंगवले, सदस्य ९. श्री. अभिजित किशोर कोरणे, सदस्य		

१९/११/२०२३

रिपोर्ट करणाऱ्या ट्रस्टीची सही.

*(Signature)*

Matter of Anant Shikshan Prasarak Mandal  
Kalambe Tarf Kale, Koparde, Tal. Karvir, Dist. Kolhapur

COMMON ORDER BELOW EXH.1


1. Applicant has filed many applications under Sec 22 of M.P.T. Act, 1950 for reporting changes occurred in board of trustees of the trust having trust no, F-20488.
2. Relied upon affidavit filed on record. Matters are old. Trustees have already completed their tenure. Only to fix their liabilities it is necessary to allow the change reports hence Notice was not issued.
3. Nobody has raised any objection hence matter become uncontested. Perused all relevant documents and records. So, I do not have any hesitation to allow these change reports as matter being uncontested hence I pass the following Order:-

ORDER


1. Change Report nos. 1038/2021, 1039/2021 and 1040/2021 are hereby Accepted.
2. Entry of this Order be taken on P.T.R.
3. Inform the trustees accordingly.
4. No order as to costs.
5. Copy of this order be kept in all C.R.

Date:-  
Place:- Kolhapur




  
R. J. Chavan

(Asst. Charity Commissioner, Kolhapur)

  
05/12/23

अमानित सत्य प्रत

  
अद्विष्टता 07/12/23

१६७ अंश ९०३५

(कानू १३ (१) पहा)

पब्लिक ट्रस्ट रजिस्ट्रेशन ऑफिस येथे ठेवण्यात आलेल्या रजिस्ट्रात नोंदविलेल्या पब्लिक ट्रस्टच्या केलेल्या नोंदीतील झालेल्या बदलाबाबत अगर इष्ट अशा करावयाच्या बदलाबाबतचा करावयाचा रिपोर्ट कार्यकारी मंडळातील बदलाबाबत.

सार्वजनिक ट्रस्टचा रजिस्ट्रेशन नंबर

- एफ/२०४८८/कोल्हापूर

साक्षात् अर्ज आल्याची तारीख १८/१०/२३

परी भरल्याची तारीख

नसकला तयार झालेची तारीख ०५/१२/२३

सार्वजनिक ट्रस्टचे नांव

सार्वजनिक ट्रस्टचा पत्ता

- आनंदी शिक्षण प्रसारक मंडळ, कोल्हापूर विभाग, कोल्हापूर

- कळंबे तर्फे कळे, पो.कोपाई, ता.करवीर, जि.कोल्हापूर.

०७/१२/२३

बदलाचे स्वरूप	बदलाचे कारण	शेरे
संस्थेची कार्यकारी मंडळातील खालील पदाधिकारी व सदस्याचे नांव रेकॉर्डवरून कमी करणेत यावे. १. सौ.सुजाता सुरेश मोंगडे, खजानिस व सदस्य	अधिक्षक सार्वजनिक न्यास नोंदणी कार्यालय कोल्हापूर विभाग, कोल्हापूर	१) कार्यकारी मंडळ सभा नोंदीस व पोहोच झेरॉक्स २) कार्यकारी मंडळ सभा उपस्थिती नोंद व सभा इतिवृत्त (प्रोसिडींग) झेरॉक्स. ३) संगतीपत्र मुळ ४) सभासद यादी झेरॉक्स ५) घटनापत्र झेरॉक्स ६) नवीन सदस्याचे ओळखपत्रे झेरॉक्स ७) राजीनामापत्र ८) विलंब माफीचा अर्ज मुळ.
संस्थेच्या रेकॉर्डवर खालील पदाधिकारी व सदस्याचे नांव नोंद करणेत यावे.	कार्यकारी मंडळ सभा दिनांक १७/१०/२०२१ उराव नं. २ नुसार नवीन सदस्याची निवड झालेले.	

य.ज.अ. / स. उ. अ. २१/१२/२३

प्रस्ताव सुजाता सुरेश मोंगडे

सकाळी ११.०० वा. पी.सुजाता मंडळाली.

११/१२/२३  
कोपाई

रिपोर्ट करणाऱ्या ट्रस्टीची सही.

*[Signature]*

Shiksha Prasarak Mandal  
Kalambe Tarf Kale, Koparde, Tal. Karvir, Dist. Kolhapur

COMMON ORDER BELOW EXH.1

1. Applicant has filed many applications under Sec 22 of M.P.T. Act, 1950 for reporting changes occurred in board of trustees of the trust having trust no. F-20488.
2. Relied upon affidavit filed on record. Matters are old. Trustees have already completed their tenure. Only to fix their liabilities it is necessary to allow the change reports hence Notice was not issued.
3. Nobody has raised any objection hence matter become uncontested. Perused all relevant documents and records. So, I do not have any hesitation to allow these change reports as matter being uncontested hence I pass the following Order:-

ORDER

1. Change Report nos. 1038/2021, 1039/2021 and 1040/2021 are hereby Accepted.
2. Entry of this Order be taken on P.T.R.
3. Inform the trustees accordingly.
4. No order as to costs.
5. Copy of this order be kept in all C.R.

Date:-  
Place:- Kolhapur



*R. J. Chavan*  
5/12/23

*R. J. Chavan*  
R. J. Chavan  
(Asst. Charity Commissioner, Kolhapur)

7/12/23



Application of Anandi Shikshan Prasarak Mandali  
Kalambe Tarf Kale, Koparde, Tal. Karvir, Dist. Kolhapur

COMMON ORDER BELOW EXH.1


1. Applicant has filed many applications under Sec 22 of M.P.T. Act, 1950 for reporting changes occurred in board of trustees of the trust having trust no. F - 20488.
2. Relied upon affidavit filed on record. Matters are old. Trustees have already completed their tenure. Only to fix their liabilities it is necessary to allow the change reports hence Notice was not issued.
3. Nobody has raised any objection hence matter become uncontested. Perused all relevant documents and records. So, I do not have any hesitation to allow these change reports as matter being uncontested hence I pass the following Order:-


ORDER

1. Change Report nos. 1038/2021, 1039/2021 and 1040/2021 are hereby Accepted.
2. Entry of this Order be taken on P.T.R.
3. Inform the trustees accordingly.
4. No order as to costs.
5. Copy of this order be kept in all C.R.

Date:-  
Place:- Kolhapur



  
R. J. Chavan  
(Asst. Charity Commissioner, Kolhapur)

  
5/12/23



प्रमाणित मल्य  
7/12/23

राष्ट्रीय जनन नियंत्रण कार्यक्रम

राज्य स्वास्थ्य विभाग  
राज्य जनन नियंत्रण कार्यक्रम

राष्ट्रीय जनन नियंत्रण कार्यक्रम

क्रमांक-२

दिनांक २५/११/२३

विभाग

राज्य जनन नियंत्रण

विभाग

राष्ट्रीय जनन नियंत्रण कार्यक्रम

क्र.सं.	नाम	पता	विवरण	विवरण	विवरण	विवरण
१	श्री. राजेश	पंजाब	पंजाब	पंजाब	पंजाब	पंजाब
२	श्री. राजेश	पंजाब	पंजाब	पंजाब	पंजाब	पंजाब
३	श्री. राजेश	पंजाब	पंजाब	पंजाब	पंजाब	पंजाब
४	श्री. राजेश	पंजाब	पंजाब	पंजाब	पंजाब	पंजाब
५	श्री. राजेश	पंजाब	पंजाब	पंजाब	पंजाब	पंजाब
६	श्री. राजेश	पंजाब	पंजाब	पंजाब	पंजाब	पंजाब
७	श्री. राजेश	पंजाब	पंजाब	पंजाब	पंजाब	पंजाब
८	श्री. राजेश	पंजाब	पंजाब	पंजाब	पंजाब	पंजाब
९	श्री. राजेश	पंजाब	पंजाब	पंजाब	पंजाब	पंजाब
१०	श्री. राजेश	पंजाब	पंजाब	पंजाब	पंजाब	पंजाब

श्री. राजेश को नियुक्ति पत्रिका - २०२३/२०२३  
 दिनांक २५/११/२३  
 राज्य जनन नियंत्रण कार्यक्रम

कामाचारी - सन २०२३ ते २०२३  
 श्री. राजेश पंजाब  
 श्री. राजेश पंजाब

श्री. राजेश को नियुक्ति पत्रिका - २०२३/२०२३  
 दिनांक २५/११/२३  
 राज्य जनन नियंत्रण कार्यक्रम

(नियम 4 पर)   
 नौपणी पुस्तक

पता : नरहरी तला, पो. तोपोंई, गा. कसबीर, ताले कोल्हापूर   
 नोंदणी क्रमांक : एक. २०.५८८ (गो)



विरासतपत्राचे बंडा	विरासतपत्राच्या विषयेचे कार्यालय संदर्भ संख्या	विरासतपत्राचे उगम किंवा विक्री यांच्या तपस्युत्तरितान् मसुदांत	बंदी पत्रात	
			जोप पत्रात (संकड रकम विरसातपत्राच्या मंडळाच्या पास अर्जात तसेच फक्त संकड रकमेबाबतची पत्रे नवी कराव्या)	विषये अंदाजे किंमत
<p>अंत्येतेके कुंधानदी, मावशी   प्रि. मावशी रव्हाण, जोलवाडी   कुंधी पाचलिक, प्राथमिक शाळा   तिक, रव्हाण महाविद्यालय   आदी शिंदेलाची पोच करणे</p>	<p>११/१२/२०२३   १२/१२/२०२३</p>	<p>झा.ता   कोपा। व   शिंदेलाची पोचणे</p>	<p>कसबरी गा।</p>	<p>५१०० रु</p>
<p>इन्ट अड्रेश क रतेण   कोल्हापूर आरु कोल्हापूर   उपगावे</p>			<p>कोल्हापूर   १) कोल्हापूर ०१/१२/२०२३ ते २०२३   २) को. शिंदेला व कुंधी देवाई - मरुत   ३) को. कुंधी देवाई कापु देवाई - मरुत   ४) को. विरसा कोल्हापूर पारिष - मरुत   ५) को. कुंधी देवाई कापु देवाई - मरुत   ६) को. मावशी प्राथमिक शाळा - मरुत   ७) को. मावशी महाविद्यालय - मरुत   ८) को. मावशी प्राथमिक शाळा - मरुत   ९) को. मावशी प्राथमिक शाळा - मरुत   १०) को. मावशी प्राथमिक शाळा - मरुत</p>	
			<p>०१/१२/२३   ०१/१२/२३</p>	





(निबंध ५ पहा)

नोंदणी पुस्तक

नाम: क. व. लोखंडे, पो. लोखंडे, ता. ता. लोखंडे, जि. ता. लोखंडे (५५५५५५)  
नोंदणी क्रमांक: एफ. २०५८८ (५५५५५५)

संशोधन समितीचे सदस्य				निर्वाहक अधिकारी (अनुमोदक)	निर्वाहक अधिकारी (आचार्य)	विद्यार्थ्यांच्या संख्या (संशोधन समितीच्या तालिक्यात नोंदवण्यात आलेल्या विद्यार्थ्यांच्या संख्या)	५
क्रमांक (१)	नाम (२)	पदा (३)	पदा (४)				
				निर्वाहक			१/१८/८८
							१०/१५/८८
							१५/१८/८८
							२०/१८/८८
							२५/१८/८८
							३०/१८/८८
							३५/१८/८८
							४०/१८/८८
							४५/१८/८८
							५०/१८/८८
							५५/१८/८८
							६०/१८/८८
							६५/१८/८८
							७०/१८/८८
							७५/१८/८८
							८०/१८/८८
							८५/१८/८८
							९०/१८/८८
							९५/१८/८८
							१००/१८/८८



नोंदणीक  
आचार्य

निर्वाहक  
आचार्य

पदाधिकारी  
आचार्य

Prepared & compared by: [Signature]



प्रमाणित सत्य प्रत  
१५/१२/८८  
अतिरिक्त  
नोंदणीक आचार्य, पो. लोखंडे, ता. लोखंडे, जि. ता. लोखंडे

Prepared & compared by:

# KOLHAPUR MUNICIPAL CORPORATION

(Health Department)

FORM 'C'

(See Rule 5)

Certification of Registration section 5 of the Bombay Nursing Homes  
Registration Act 1949

## CERTIFICATE

No. 442

This is to Certify that Shri./Smt. **DR ABHIJIT KISHOR KORANE**

has been registered under the Bombay Nursing Homes Registration Act 1949, in respect of **SUNRISE HOSPITAL / K & R NURSING CENTER PVT LTD** situated at **C.S.NO 517 A 1 PLOT NO 70 E WARD NEAR HOTEL O K TREE SHIVAJI PARK KOLHAPUR** and has been authorized to carry on the said nursing home.

Registration No. : 442  
Date of Registration : 21-Nov-2017  
Place : Kolhapur  
Date of issue of Certificate : 22-May-2025

This Certificate of registration shall be valid up to **31-Mar-2028**

The name of **DR ABHIJIT KISHOR KORANE**


Maternity beds	Other beds	Total beds
0	100	100

Local Supervising Authority



Kolhapur Municipal Corporation

Kolhapur.

  
Dr. Prabhesh Pawara

Medical Officer of Health

Kolhapur Municipal Corporation

(Signature of the registering authority.)

# MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 0231-2652952  
0231-2660448  
Fax: 0231-2652952  
Website: <http://mpcb.gov.in>  
Email: [rokolhapur@mpcb.gov.in](mailto:rokolhapur@mpcb.gov.in)



Maharashtra Pollution  
Control Board, Udyog  
Bhavan Building, Near  
Collectarate Office,  
Kolhapur - 416 002

GREEN/S.S.I

Date: 14/08/2025

No:- Format1.0/RO/UAN No.0000255042/CO/2508001759

To,  
M/s **Sunrise Hospital** (K & R Nursing Center Pvt Ltd. )  
C. S. No. 517, A/1, Plot No 70, E Ward , Shivaji Park  
,Kolhapur, Tal-Karveer, Dist-Kolhapur



Your Service is Our Duty

Email:[sunrisehospital.kolhapur@gmail.com](mailto:sunrisehospital.kolhapur@gmail.com)  
Contact No.:9823464180

*Renewal of Combined Consent to Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.*

- Ref:** 1. Your application for Combine Consent and Bio-Medical Waste Authorization dated 23/07/2025  
2. CCA granted on 13.8.2025

After examining the proposal, The Maharashtra Pollution Control Board hereby grant 1st operate Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **01-09-2025 To 31-08-2031**
2. HCF Area : - Plot Area 732.50 M<sup>2</sup> with Built-up area 1281.99 M<sup>2</sup>.
3. **Activities Included**
  - a. Total Number of Beds : **100 Nos.** (As per BNH certificate no. 442 valid upto 31-03-2028)
    - I. General Beds : **100 Nos**
4. **Conditions under the Water (P&CP) Act, 1974:-**
  1. Quantity of total water consumption shall not exceed 18 M<sup>3</sup>/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
  2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
  3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

**5. Conditions under the Air (P&CP) Act,1981:-**

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

**6. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundry Movement) Rules, 2016 for treatment and disposal of hazardous waste:-**

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
1		0	As per Actual	--NA--	NA

**7. Conditions under Solid Waste Management rules 2016**

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

**8. Conditions under BMW Management rules, 2016 (As Amended):-**

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
  2. You shall segregate and handover BMW to BMW T&D CTF **S. S. Services, Kolhapur Municipal Corporation, Kolhapur** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
  3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on [www.cpcb.nic.in](http://www.cpcb.nic.in) along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
  4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" ([www.cpcb.nic.in](http://www.cpcb.nic.in)).
9. You shall not undertake Modifications/ Upgrdation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.

10. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
11. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
12. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
13. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
14. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
15. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
16. The said CCA has overriding effect on previous CCA granted vide dtd 13.8.2025

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.



*Nikhil N. Gharat*

f295ac90  
9f5b1421  
54d1b00b  
a2832e7a  
96ebf21e  
748c7fcb  
42e208a3  
ab43a39c

Signed by: Mr. Nikhil N. Gharat  
Regional Officer  
For and on behalf of  
**Maharashtra Pollution Control Board**  
rokolhapur@mpcb.gov.in  
2025-08-14 14:13:19 IST

**Received Consent/Authorization fee of -**

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	10000.00	TXN2507005227	23/07/2025	Online Payment

**Copy to:**

1. Regional Officer, MPCB, Kolhapur and Sub-Regional Officer, MPCB, Kolhapur
2. Chief Accounts Officer, MPCB, Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

**Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)**

## A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	18.00
3.	Pathology Laboratory, Floor washing, Operation Theater	0.00
4.	Laundry	0.00
5.	Other such as agriculture, gardening, etc.	0.00

## B. Conditions for Sewage &amp; Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	12.00	As per clause 'C'	Public sewers
2	Trade effluent	0	As per clause 'C'	Public sewers

- C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Standards for discharge in Public sewers
1	pH Value	5.5-9.0
2	Suspended Solid mg/l	600
3	Oil and Grease mg/l	20
4	BOD mg/l	350
5	COD mg/l	Not applicable
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.
- H. All Health Care Facilities irrespective of the bed capacity shall install scientifically designed disinfection facilities before discharging the effluent into sewer line or reuse in the premises as stipulated under Schedule II (6) of Biomedical waste Management Rules, 2016.

**Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)**

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
1	NA	--	--	-

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
  - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
  - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
  - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
  - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
  - D.G. Set shall be operated only in case of power failure.
  - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
  - The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

**SCHEDULE-I****Authorization for Management of Bio-Medical Waste (Category and Quantity)**

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	80.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF S. S. Services, Kolhapur Municipal Corporation, Kolhapur Kolhapur
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	280.00		
		d) Expired or Discarded Medicines	10.00		
		e) Chemical Waste	15.00		
		f) Chemical Liquid Waste	0.00	Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	15.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	0.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	35.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF S. S. Services, Kolhapur Municipal Corporation, Kolhapur Kolhapur
3	White (Translucent)	Waste sharps including Metals	110.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF S. S. Services, Kolhapur Municipal Corporation, Kolhapur Kolhapur
4	Blue	a) Glassware	20.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF S. S. Services, Kolhapur Municipal Corporation, Kolhapur Kolhapur
		b) Metallic body implants	0.00		

**Responsibilities of HCF**

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **S. S. Services, Kolhapur Municipal Corporation, Kolhapur** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Kolhapur and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

**Bank Guarantees**

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

<b>Sr.No</b>	<b>Activity / Condition to be Complied</b>	<b>Compliance Timeline (Months)</b>	<b>Bank Guarantee Amount</b>
<b>1A</b>	<b>Operation and Maintenance</b>		
1	Compliance of CCA conditions	Continuous	20,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	100,000.00
<b>Total</b>			<b>1,20,000.00</b>

**Note: You shall extend the existing submitted Bank Guarantee for the Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional. Submit a fresh Bank Guarantee for the newly added Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional.**

**The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days from the date of issue of Consent.**

**If the above Bank Guarantee is not submitted within stipulated period, then 12% interest will be levied as a penalty as per circular dtd 29/02/2024 No. BO/MPCB/AS(T)/Circular/B-240229FTS0122**

**General Conditions****The following general conditions shall apply:-**

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Kolhapur.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

---

This certificate is digitally & electronically signed.

---

