

**Maharashtra University of Health Sciences, Nashik.**  
**Inspection Committee Report for Academic Year 2026-2027**

**Clinical Material in Hospital**

**Name of College/Institute: Anandi Institute of Nursing, Kalambe tarf Kale.**

**Faculty: B. Sc. Nursing**


**HOSPITAL DETAILS**

Sr. No.	Particulars to be verified	Particular	Adequate/ Inadequate
1	The Institute / College shall execute a MoU with any institute for affiliation of hospital in addition to minimum 100 bedded own/parent Hospital (Affiliated hospital must be 50 bedded or more.) <b>To be made available on web site</b>	Yes	Adequate
a.	Whether Hospital is registered under any act under Local Authority such as Corporation, Municipality, Gram Panchayat etc.: <b>Copy to be made available on web site</b>	Yes	Adequate
b.	Student Bed Ratio for UG & PG to be verified:(As per MSR) Calculate at Actual ... 1:6	Yes	Adequate
c.	Average Bed Occupancy in % : (Minimum 75%) .....	Yes	Adequate
d.	Clinical facilities for PG to be verified:-(As per MSR)	N/A	
	(i) Whether OPD is functioning to be verified (ii) Total No of OPD (on the day of inspection) (iii) Average Number of patients attending OPD(current year) (iv) Average Number of Delivery (Current year) (v) Average Number of abnormal Delivery (Current year)	Yes	Adequate
<ul style="list-style-type: none"> <li>• As per Central Council Norms/ University Norms, above Infrastructure must be available at College.</li> <li>• If Infrastructure is available, then mark "Adequate"&amp; do not attach any Documents it should be available on college website</li> <li>• In case of "Inadequate", it must be marked as "Inadequate" with evidence. To be submit to university with report</li> </ul>			

Here we declare all relevant document uploaded are clear and visible on web site & are true as per my knowledge & Belief  
 Any Other, Please Specify:-

Date:- 16/01/2026



  
 Dean/Principal & Signature  
 Anandi Institute of Nursing  
 Kalambe Tarf Kale, Tal. Karveer,  
 Dist. Kolhapur




महाराष्ट्र MAHARASHTRA

2024

DB 356769


- 9 MAY 2025

दिनांक वि.नं. ०२२  
श्री Principal  
Anandi Institute of Nursing  
Kalambe Tari Kante Tal Karveer  
गान्धी रु. (Dist. Kolhapur) या स्टॅम्प मागितलेवरून रु.  
गाडे भरली रु. असे स्टॅम्प दिले



6 MAY 2025

अभिनाश वसंतराव राजा  
स्टॅम्प हेड क्लर्क  
ट्रेजरी ऑफिस  
कोल्हापूर (म.स.)  
दि.प.क्र. ६५/१९९२ जोड नं. २६०१०१६  
२३२९ 'सी' भाऊसिंघजी रोड, कोल्हापूर



MEMORANDUM OF UNDERTAKING

I Undersigned Dr. Abhijit Kishor Korane, Member of Anandi Shikshan Prasarak Mandal Kalambe Tarf Kale, Tal. Karveer, Dist. Kolhapur & Owner by of Sunrise Multispecialty Hospital, Kolhapur do hereby undertaking the following.

1. Anandi Shikshan Prasarak Mandal Kalambe Tarf Kale, Tal-Karveer, Dist. Kolhapur Sanchalit Anandi Institute of Nursing, Kalambe Tarf Kale, Tal-Karveer, Dist- Kolhapur is conducting B. Sc. Nursing Programme.
2. Sunrise Multispecialty Hospital, Kolhapur situated at C. S. No. 517 A/1 Plot No. 70, E ward, near Hotel K-Tree Shivaji Park Kolhapur which is 100 bedded Multispecialty Hospital.
3. The Hospital is be fully owned by Dr. Abhijit Kishor Korane.
4. I holding position of member in Anandi Shikshan Prasarak Mandal, Kalambe Tarf Kale, Tal- Karveer, Dist- Kolhapur
5. The Hospital is permitted to get all type of clinical experience for Nursing Students of this institute.
6. The Hospital will not allow to get affiliation for any other Nursing Institutions in future.
7. This affiliation to Anandi Institute of Nursing, Kalambe Tarf Kale, Tal- Karveer, Dist- Kolhapur will remain valid for permanent or till the institute exist.
8. Whatever clinical requirements for student will be fulfilled as per curriculum from time to time
9. MOU between institute and parent Hospital shall be for 30 years.

Deponent No. 1

**DR. ABHIJIT KORANE**  
MD.DNB.(MED) DNB (NEPHRO)  
SUNRISE HOSPITAL

Deponent No. 2 (Members of Trust)

10/03/2028

*[Signature]*  
**Chairman**

1. Shri. Satish Pandurang Desai Anandi Shikshan Prasarak Mandal Kalambe Tarf Kale, Tal. Karveer, Dist. Kolhapur.
2. Shri. Pandurang Babu Desai - *[Signature]*
3. Smt. Vidya Shripati Patil - *[Signature]*
4. Smt. Anandi Shripati Patil - *[Signature]*
5. Smt. Sunita Namdev Atigre - *[Signature]*
6. Smt. Maya Rashikant Salokhe - *[Signature]*
7. Smt. Anandi Pandurang Desai - *[Signature]*
8. Smt. Vandana Sandip Ingawale - *[Signature]*
9. Dr. Abhijit Kishor Korane - *[Signature]*

**Know The Deponent/Signetory**

*[Signature]*  
Mr. Anupam Kamenikar  
9028838464



Parties are informed to register the above document at register office on Proper Stamp

*[Signature]*  
10/05/2025  
**PRATAP B. JADHAV**  
Advocate & Notary  
"Rajaram Villa" 1631, C Ward  
Shivaji Road, Kolhapur

Notary Regl. Sr. No. 1204/2025  
10 MAY 2025

# KOLHAPUR MUNICIPAL CORPORATION

(Health Department)

FORM 'C'

(See Rule 5)

Certification of Registration section 5 of the Bombay Nursing Homes  
Registration Act 1949

## CERTIFICATE

No. 442

This is to Certify that Shri./Smt. **DR ABHIJIT KISHOR KORANE**

has been registered under the Bombay Nursing Homes Registration Act 1949, in respect of **SUNRISE HOSPITAL / K & R NURSING CENTER PVT LTD** situated at **C.S.NO 517 A 1 PLOT NO 70 E WARD NEAR HOTEL O K TREE SHIVAJI PARK KOLHAPUR** and has been authorized to carry on the said nursing home.

Registration No. : 442  
Date of Registration : 21-Nov-2017  
Place : Kolhapur  
Date of issue of Certificate : 22-May-2025

*This Certificate of registration shall be valid up to 31-Mar-2028*

The name of **DR ABHIJIT KISHOR KORANE**

Maternity beds	Other beds	Total beds
0	100	100

Local Supervising Authority



Kolhapur Municipal Corporation

Kolhapur.

Dr. Prakash Pawara

Medical Officer of Health

Kolhapur Municipal Corporation

(Signature of the registering authority.)

# MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 0231-2652952  
0231-2660448  
Fax: 0231-2652952  
Website: <http://mpcb.gov.in>  
Email: [rokolhapur@mpcb.gov.in](mailto:rokolhapur@mpcb.gov.in)



Maharashtra Pollution  
Control Board, Udyog  
Bhavan Building, Near  
Collectarate Office,  
Kolhapur - 416 002

**GREEN/S.S.I**

**Date: 14/08/2025**

**No:- Format1.0/RO/UAN No.0000255042/CO/2508001759**

To,  
M/s Sunrise Hospital (K & R Nursing Center Pvt Ltd. )  
C. S. No. 517, A/1, Plot No 70, E Ward , Shivaji Park  
, Kolhapur, Tal-Karveer, Dist-Kolhapur



Your Service is Our Duty

Email: [sunrisehospital.kolhapur@gmail.com](mailto:sunrisehospital.kolhapur@gmail.com)  
Contact No.: 9823464180

*Renewal of Combined Consent to Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.*

- Ref:**
1. Your application for Combine Consent and Bio-Medical Waste Authorization dated 23/07/2025
  2. CCA granted on 13.8.2025

After examining the proposal, The Maharashtra Pollution Control Board hereby grant 1st operate Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **01-09-2025 To 31-08-2031**
2. HCF Area : - Plot Area 732.50 M<sup>2</sup> with Built-up area 1281.99 M<sup>2</sup>.
3. **Activities Included**
  - a. Total Number of Beds : **100 Nos.** (As per BNH certificate no. 442 valid upto 31-03-2028)
    - i. General Beds : **100 Nos**
4. **Conditions under the Water (P&CP) Act, 1974:-**
  1. Quantity of total water consumption shall not exceed 18 M<sup>3</sup>/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
  2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
  3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

**5. Conditions under the Air (P&CP) Act,1981:-**

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

**6. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-**

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

<b>Sr No</b>	<b>Type of Waste</b>	<b>HW Category no.</b>	<b>Quantity</b>	<b>UOM</b>	<b>Disposal</b>
1		0	As per Actual	--NA--	NA

**7. Conditions under Solid Waste Management rules 2016**

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

**8. Conditions under BMW Management rules, 2016 (As Amended):-**

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
  2. You shall segregate and handover BMW to BMW T&D CTF **S. S. Services, Kolhapur Municipal Corporation, Kolhapur** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
  3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on [www.cpcb.nic.in](http://www.cpcb.nic.in) along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
  4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" ([www.cpcb.nic.in](http://www.cpcb.nic.in)).
- 9.** You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.

- 10.** Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
- 11.** You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
- 12.** This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
- 13.** You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
- 14.** Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
- 15.** This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
- 16.** The said CCA has overriding effect on previous CCA granted vide dtd 13.8.2025

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.



**Received Consent/Authorization fee of -**

<b>Sr.No</b>	<b>Amount(Rs.)</b>	<b>Transaction/DR.No.</b>	<b>Date</b>	<b>Transaction Type</b>
1	10000.00	TXN2507005227	23/07/2025	Online Payment

**Copy to:**

1. Regional Officer, MPCB, Kolhapur and Sub-Regional Officer, MPCB, Kolhapur
2. Chief Accounts Officer, MPCB, Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

**Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)**

## A. Water Consumption Details:-

<b>Sr. No.</b>	<b>Purpose for water consumed</b>	<b>Water consumption quantity (CMD)</b>
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	18.00
3.	Pathology Laboratory, Floor washing, Operation Theater	0.00
4.	Laundry	0.00
5.	Other such as agriculture, gardening, etc.	0.00

## B. Conditions for Sewage &amp; Effluent Generation, Treatment and Disposal:-

<b>Sr. No.</b>	<b>Description</b>	<b>Permitted quantity of discharge (CMD)</b>	<b>Standards to be achieved</b>	<b>Disposal</b>
1	Domestic Sewage	12.00	As per clause 'C'	Public sewers
2	Trade effluent	0	As per clause 'C'	Public sewers

## C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

<b>Sr. No.</b>	<b>Parameters</b>	<b>Standards for discharge in Public sewers</b>
1	pH Value	5.5-9.0
2	Suspended Solid mg/l	600
3	Oil and Grease mg/l	20
4	BOD mg/l	350
5	COD mg/l	Not applicable
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.
- H. All Health Care Facilities irrespective of the bed capacity shall install scientifically designed disinfection facilities before discharging the effluent into sewer line or reuse in the premises as stipulated under Schedule II (6) of Biomedical waste Management Rules, 2016.

**Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)**

1. You shall observe following fuel pattern and erect following stack (s):

<b>Sr. No.</b>	<b>Stack Attached to</b>	<b>Fuel Type</b>	<b>Quantity</b>	<b>Stack Height (Mtr)</b>
1	NA	--	--	-

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.

3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).

4. Conditions for D.G. Set:-

- a. Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
- b. Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
- c. You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
- d. Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
- e. A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
- f. D.G. Set shall be operated only in case of power failure.
- g. The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
- h. The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.

5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

**Authorization for Management of Bio-Medical Waste (Category and Quantity)**

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	80.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF S. S. Services, Kolhapur Municipal Corporation, Kolhapur Kolhapur
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	280.00		
		d) Expired or Discarded Medicines	10.00		
		e) Chemical Waste	15.00	Separate collection system leading to effluent treatment system.	
		f) Chemical Liquid Waste	0.00		
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	15.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	0.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	35.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF S. S. Services, Kolhapur Municipal Corporation, Kolhapur Kolhapur
3	White (Translucent)	Waste sharps including Metals	110.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF S. S. Services, Kolhapur Municipal Corporation, Kolhapur Kolhapur
4	Blue	a) Glassware	20.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF S. S. Services, Kolhapur Municipal Corporation, Kolhapur Kolhapur
		b) Metallic body implants	0.00		

**Responsibilities of HCF**

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **S. S. Services, Kolhapur Municipal Corporation, Kolhapur** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Kolhapur and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

**Bank Guarantees**

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

<b>Sr.No</b>	<b>Activity / Condition to be Complied</b>	<b>Compliance Timeline (Months)</b>	<b>Bank Guarantee Amount</b>
<b>1A</b>	<b>Operation and Maintenance</b>		
1	Compliance of CCA conditions	Continuous	20,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	100,000.00
<b>Total</b>			<b>1,20,000.00</b>

**Note: You shall extend the existing submitted Bank Guarantee for the Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional. Submit a fresh Bank Guarantee for the newly added Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional.**

**The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days from the date of issue of Consent.**

**If the above Bank Guarantee is not submitted within stipulated period, then 12% interest will be levied as a penalty as per circular dtd 29/02/2024 No. BO/MPCB/AS(T)/Circular/B-240229FTS0122**



**General Conditions****The following general conditions shall apply:-**

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Kolhapur.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

---

This certificate is digitally & electronically signed.

---






महाराष्ट्र MAHARASHTRA

© 2024 ©


DB 356772

9 MAY 2025

Principal वं. १२२ स्वस्थ शिक्षण संस्थे  
 श्री Anandi Institute of Nursing  
 - Kalambe Tarf Kale Tal. Karveer  
 Dist. Kolhapur  
 ) चा स्टॅप मागितलेवरून रु.  
 असे जॅनर टिके



अभिनाश वसंतराव राजाध्याक्ष  
 स्टॅप वेंडर  
 पि.प.क्र.६५/१९९२ फोन नं. २६०१०१६  
 २३२९ 'सी' भाऊनरिंगजी रोड, पणेल्हापूर.



MEMORANDUM OF UNDERTAKING BETWEEN

Anandi Shikshan Prasarak Mandal Kalambe Tarf Kale, Tal. Karveer, Dist. Kolhapur  
 Sachalit Anandi Institute of Nursing, Kalambe Tarf Kale, Tal. Karveer, Dist. Kolhapur  
 &  
 Swastik Hospital, Kolhapur

New here in after called as an MOU for association of **Anandi Shikshan Prasarak Mandal Kalambe Tarf Kale**. here after called as Anandi Institute of Nursing Kalambe Tarf Kale ,Tal. Karveer, Dist.Kolhapur of the part with **Swastik Hospital, Kolhapur** registered under Societies registration Act and the Bombay public trusts Act and I registered office Karveer

Run and maintain hospital in the **Swastik Hospital** here after called as THE HOSPITAL of the second part, for service attachment of the B.Sc. Nursing Education institute to, **Anandi Shikshan Prasarak Mandal Kalambe Tarf Kale** of nursing pane. Where as Students of the said Nursing embracing all the speciation and the branches including nursing institution required to take specialized training and learning experience in clinical nursing embracing all the speculating and the branches including Training in Psychiatric nursing during 4 year course of B.Sc. nursing programme and whereas the side trues has approached the party **Swastik Hospital, Kolhapur** And where the party of the second part of the trust established under the Mental Health Act 1987. The hospital named **Swastik Hospital, Kolhapur** And this hospital in psychiatric Hospital having the capacity of 50 beds and having all the infrastructure required for the student of B.Sc. Nursing And where the office of the Foundation has been accepted by the 'The Hospital and condition which fare mutually understood and agreed between the parties and which the parties here to desire to put in writing.

1. The MOU is excited on the initially for the period of 10 Years from the date of commencement of which may extended on mutual consent and agreement.
2. Commencement This MOU shall come into force and be effective form 09/05/2025
3. The parties of the first part i.e **Anandi Shikshan Prasarak Mandal Kalambe Tarf Kale Sanchalit Anandi Institute of Nursing, Kalambe Tarf Kale, Tal- Karveer, Dist- Kolhapur.**
4. Shall send its 60 Student for the purpose of training and experience to the hospital of the second part.
5. Student to be place/clinical experience.
6. Initially the total number of student placed with 4 divided batches and the number may increase in the succeeding year.
7. Clinical area:
  - A) General duty: From Monday to Saturday except during vacation, tests and holiday of the hospital
  - B) The student of the B.Sc.Nursing shall be receiving Clinical Posting in Psychiatric wards ECT room and OPD.
  - C) The students of B.Sc. Nursing shall be supervised by their Supervisors in the wards.
8. All the student in every wards and OPD would be accompanied by their Supervisors in the wards for guiding teaching and demonstrating nursing procedures to the student.
9. No students will leave in any ward of department without being supervised by the supervisors appointed for that purpose by the foundation.
10. Rotation of the students will be planned by the nursing service department of the hospital i.e. Matron of the Hospital.
11. Inspection: the authorities appointed by the Government for the purpose of inspection for clinic specialties for the B.Sc. Nursing programmed as under
  - A) Maharashtra State Board of Nursing & paramedical Education, Mumbai
  - B) India Nursing Council New Delhi
  - C) Maharashtra Nursing Council Mumbai
  - D) Government of Maharashtra Mumbai
12. The demographic date of the required to finish at the time of inspection.



13. Consideration.

For their purpose of making the hospital available of training to be the student and for providing clinical facilities to the **Anandi Shikshan Prasarak Mandal Kalambe Tarf Kale** is here by understood between the parties that the foundation shall pay a consideration amount of Rs. 100/- per month per student during their clinical experience. The amount shall be paid by the Cheque Anandi Institute of Nursing, Kalambe Tarf Kale, Tal- Karveer, Dist- Kolhapur by the drawn in the favor of **Swastik Hospital** on or before the 10<sup>th</sup> of the every month.

14. Termination:-

In case this MOU not viable to the Parties here to for any reasons what so ever the Party shall liberty to termination this MOU by giving one month notice in advance to the other party.

In case any damage or loss to the Hospital through any Students the foundation will legal obligation to make good the same in totality. The decision of hospital shall be final in this regards.

*[Signature]*

**Chairman**  
Anandi Shikshan Prasarak Mandal  
Anandi Shikshan Prasarak  
Mandal Kalambe Tarf Kale,  
Tal. Karveer, Dist. Kolhapur.

*[Signature]*

**Swastik Hospital, Kolhapur**

**Dr. Nikhil Chougule**

M. D. Psychiatry, MD Physician (Rus.)  
Swastik Hospital, 143/A/12, 'E'  
Assembly Road, Kolhapur - 416 001  
Reg. No. 2006/12/3699



**I Know The Deponent/Signatory**  
*[Signature]*

Mr. Anupam Kamenikar  
9028838464



**Partes are informed to register the above document at register office on Proper Stamp**

*[Signature]*  
14/05/2025

**PRATAP B. JADHAV**  
Advocate & Notary  
"Rajaram Villa" 1631, C Ward  
Shivaji Road, Kolhapur

Notary Regl. Sr. No.

1202/2025

17<sup>th</sup> 0 MAY 2025

Section 8  
See Rule 16



सत्यमेव जयते

48 - A  
Annexure II

## Renewal of License For Psychiatric Hospital / Nursing Home

I...Dr. Sadhana Tayade..... **Director of Health Services, Maharashtra State Mumbai** by the authority vested in by the State Mental Health Authority vide Government Notification **PHD No.MIS-1088/CR-188/PH-3** Dt. 29th March 1995 under section 8 of **Mental Health Act 1987** hereby declare that I am satisfied after inspection of Swastik Psychiatric Hospital.....

I hereby allow **renewal of license** for the Psychiatric Hospital/Nursing Home by Dr. Parishath Monappa Chougule.....  
At...143, A/12, Near Mahavir Garden, Assembly Road, Kolhapur..... Tel No. ....  
From...17/02/2021.....till...16/02/2026.....  
License No...27/2021.....

SEAL



**SWASTIK HOSPITAL**  
143 A/12, E, Near Mahavir Garden,  
Assembly Road, KOLHAPUR - 418 001  
Ph. 0231-2658835

Place : MUMBAI  
Date :

30/3/21  
**(Dr. SADHANA TAYADE)**  
Licensing Authority  
**DIRECTOR OF HEALTH SERVICES,**  
Government of Maharashtra  
MAHARASHTRA STATE,  
MUMBAI






महाराष्ट्र MAHARASHTRA

2024


DB 356770

- 9 MAY 2025

Principal वि.नं. ५२५ रुपय निश्चित रुपय V-  
Anandi Institute of Nursing हीन शिवस्ति २२२२  
Kalambe-Tarf Kale, Tal. Karveer  
Dist. Kolhapur  
वांनी रु. ( ) धा स्टॅप मागितलेवरून रु.  
असे स्टॅप दिले.



आदिनाश बसंतराव राजाध्वज  
स्टॅप खंडर  
वि.प.क्र.६५/१९९२ कोड नं.२६०१०१६  
२३२९ 'सी' भाऊसिंगजी रोड, कोल्हापूर.



MEMORANDUM OF UNDERTAKING BETWEEN

Anandi Shikshan Prasarak Mandal Kalambe Tarf Kale, Tal. Karveer, Dist. Kolhapur  
Sachalit Anandi Institute of Nursing Kalambe Tarf Kale, Tal. Karveer, Dist. Kolhapur

and  
Shravasti Hospital,  
Shivaji Peth, A Ward, C Ward, Kolhapur

Now here in after called as an MOU for association of **Anandi Shikshan Prasarak Mandal Kalambe Tarf Kale**. here after called as **Anandi Institute of Nursing Kalambe Tarf Kale**, Tal. Karveer, Dist. Kolhapur of the part with **Shravasti Hospital, Kolhapur** registered under Societies registration Act and the Bombay public trusts Act and I registered office Karveer.

Run and maintain hospital in the **Shravasti Hospital, Kolhapur** here after called as THE HOSPITAL of the second part, for service attachment of the **B.Sc Nursing** Education institute to, **Anandi Shikshan Prasarak Mandal Kalambe Tarf Kale** of nursing pane. Where as Students of the said Nursing embracing all the speciation and the branches including nursing institution required to take specialized training and learning experience in clinical nursing embracing all the speculating and the branches including Training in operation theater and intensive care nursing during 4 year course of nursing education programmed, And whereas the side true's has approached the party **Shravasti Hospital, Kolhapur** And where the party of the second part of the trust established under the Bombay public charitable trust act and maintain the hospital in the name of **Shravasti Hospital, Kolhapur** And this hospital in multi-specialty super specialty Hospital Having the capacity of 50 beds and having all the infrastructure required for the student of B. Sc. Nursing. And where the office of the foundation has been accepted by the 'The Hospital and condition which fare mutually understood and agreed between the parties and which the parties here to desire to put in writing.

1. The MOU is excited on the initially for the period of 10 Years from the date of commencement of which may extended on mutual consent and agreement.
2. Commencement of this MOU shall come into force and be effective from 09/05/2025.
3. The parties of the first part i.e **Anandi Shikshan Prasarak Mandal Kalambe Tarf Kale sanchalit Anandi Institute of Nursing, Kalambe Tarf Kale, Tal- Karveer, Dist- Kolhapur.**
4. Shall send its 60 Student for the purpose of training and experience to the hospital of the second part.
5. Student to be place/clinical experience.
6. Initially the total number of student placed with be divided in 4 batches and the number may increase in the succeeding year.
7. Clinical area:
  - A) General duty: From Monday to Saturday except during vacation, tests and holiday of the hospital
  - B) The student of the B.Sc. nursing shall be receiving in Medical, Surgical Orthopedic wards and OPD.
  - C) The student of the B.Sc. nursing shall be receiving by their Supervisors in the wards for Orthopedic, Oncology, Cardiology, Neurology and OPD.
8. All the student in every wards and OPD would be accompanied by their Supervisors in the wards for guiding teaching and demonstrating nursing procedures to the student.
9. No students will leave in any ward of department without being supervised by the supervisors appointed for that purpose by the foundation.
10. Rotation of the students will be planned by the nursing service Department of the hospital i.e. Matron of the Hospital.
11. Inspection: the authorities appointed by the Government for the purpose of inspection for clinic specialties for the B.Sc. Nursing programmed as under
  - A) Maharashtra State Board of Nursing & paramedical Education, Mumbai
  - B) Indian Nursing Council New Delhi
  - C) Maharashtra Nursing Council, Mumbai
  - D) Government of Maharashtra Mumbai
12. The demographic date of the required to finish at the time of inspection.



13. Consideration :-

For their purpose of making the hospital available of training to be the student and for providing clinical facilities to the **Anandi Shikshan Prasarak Mandal Kalambe Tarf Kale** is here by understood between the parties that the foundation shall pay a consideration amount of Rs.100/- per month per student during their clinical experience. The amount shall be paid by the Cheque **Anandi Institute of Nursing Kalambe Tarf Kale ,Tal- Karveer, Dis- Kolhapur** by the drawn in the favor of **Shravasti Hospital, Kolhapur** on or before the 10<sup>th</sup> of the every month.

14. Termination:-

In case this MOU not viable to the Parties here to for any reasons what so ever the Party shall liberty to termination this MOU by giving one month notice in advance to the other party.

In case any damage or loss to the Hospital through any Students the foundation will legal obligation to make good the same in totality. The decision of hospital shall be final in this regards.

**Chairman**  
Anandi Shikshan Prasarak Mandal Kalambe Tarf Kale  
Anandi Shikshan Prasarak  
Mandal Kalambe Tarf Kale,  
Tal. Karveer, Dist. Kolhapur.


**Shravasti Hospital**  
Shivaji Peth A Ward, C Ward, Kolhapur

**DR. SANDIP J. SHIRAWASTI,**  
M.B.B.S.,D.M.B (Medicine),  
Diploma In Diabetology (UK)  
Diploma In Cardiology (UK)  
Consulting Physician,  
Diabetologist & Intensivist  
Reg No - MMC3883/11/2007



**I Know The**  
**Deponent is Signatory**

Mr. Anupam Kamenikar  
9028838464



Parties are informed to register  
the above document at register  
office on Proper Stamp

**PRATAP B. JADHAV**  
Advocate & Notary  
"Rajaram Villa" 1631, C Ward  
Shivaji Road, Kolhapur

1203/2025

Notary Regl. Sr. No.

11 0 MAY 2025

# KOLHAPUR MUNICIPAL CORPORATION



(Health Department)



FORM 'C'

(See Rule 5)

Certification of Registration section 5 of the Bombay Nursing Homes  
Registration Act 1949

## CERTIFICATE

No. 478

This is to Certify that Shri./Smt. **DR. SANDIP JAYKUMAR SHRAWASTI**

has been registered under the Bombay Nursing Homes Registration Act 1949. in respect of **SHRAWASTI HOSPITAL** situated at 1644/1A, 1644/2 to 6, A Ward, Karveer Tirth Apartment, Beside SBI Bank, Rankala Tower, Kolhapur 416012 and has been authorized to carry on the said nursing home.

Registration No. : 478

Date of Registration : 29-May-2019

Place : Kolhapur

Date of issue of Certificate : 29-Aug-2024

*This Certificate of registration shall be valid up to 31-Mar-2027*

The name of **DR. SANDIP JAYKUMAR SHRAWASTI**

Local Supervising Authority

Kolhapur Municipal Corporation

Kolhapur.



Dr. Prakash Pawara

Medical Officer of Health

Kolhapur Municipal Corporation

(Signature of the registering authority.)

# MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 0231 -2652952  
Fax: 0231 - 2660448  
Website: <http://mpcb.gov.in>  
Email:  
srokolhapur@mpcb.gov.in



Udyog Bhavan Building ,  
Near Collectarate Office,  
Kolhapur-416 002

**ORANGE/S.S.I**  
**No:- Format1.0/SRO/UAN No.0000218065/CO/2501000661**

**Date: 08/01/2025**

To,  
**Shirawasti Hospital**  
**1644/1 A,1644/ 2 to 1644/ 6, A Ward Karvirtirth**  
**Apartment, Beside SBI Bank Rankala, Kolhapur.**



Your Service is Our Duty

**Email:shrawastihospital5535@gmail.com**  
**Contact No.:9423395535**

*Combined Consent to 1st Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.*

- Ref:**
1. Combine Consent and Bio-Medical Waste Authorization granted by the Board vide no.MPCB-CONSENT-0000218065& BMW Auth No.
  2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 30/11/2024

After examining the proposal, The Maharashtra Pollution Control Board hereby grant 1st operate Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **31-03-2024 To 31-03-2028**
2. : - Plot Area 384.61 M<sup>2</sup> with Built-up area 384.61 M<sup>2</sup>.
3. **Activities Included**
  - a. Total Number of Beds : **50 Nos.** 478
    - I. General Beds : **40 Nos**
    - II. ICCU/ICU Beds : **10 Nos**
4. **Conditions under the Water (P&CP) Act, 1974:-**
  1. Quantity of total water consumption shall not exceed 3.5 M<sup>3</sup>/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
  2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
  3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.
5. **Conditions under the Air (P&CP) Act,1981:-**

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

**6. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-**

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
		NA			

**7. Conditions under Solid Waste Management rules 2016**

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

**8. Conditions under BMW Management rules, 2016 (As Amended):-**

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
  2. You shall segregate and handover BMW to BMW T&D CTF **S. S. Services, Kolhapur Municipal Corporation, Kolhapur** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
  3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on [www.cpcb.nic.in](http://www.cpcb.nic.in) along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
  4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" ([www.cpcb.nic.in](http://www.cpcb.nic.in)).
9. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
  10. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
  11. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
  12. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
  13. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.

14. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
15. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
16. Applicant shall provide Waste Treatment Facility as per the BMW Rule as 2016 on priority & submit the proposal within one month from issuing the certificate.
17. The applicant shall submit the letter/certificate from KMC for connectivity of wastewater generated from your HCE otherwise you have to provided your own STP within three months from the issue of this certificate.
18. The hospital shall comply the MPC Board circular vide no. MPC/PSO/B-211111FTS0124 dtd.11/11/2021 time to time. HCE shall possess valid registration under Bombay Nursing Home Act 1949 rule 5.

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.



**Received Consent/Authorization fee of -**

<b>Sr.No</b>	<b>Amount(Rs.)</b>	<b>Transaction/DR.No.</b>	<b>Date</b>	<b>Transaction Type</b>
1	7500.00	TXN2409001444	12/09/2024	Online Payment

**Copy to:**

1. Regional Officer, MPCB, Kolhapur for information.
2. Cheif Accounts Officer, MPCB,Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

**Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)**

## A. Water Consumption Details:-

<b>Sr. No.</b>	<b>Purpose for water consumed</b>	<b>Water consumption quantity (CMD)</b>
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	3.50
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

## B. Conditions for Sewage &amp; Effluent Generation, Treatment and Disposal:-

<b>Sr. No.</b>	<b>Description</b>	<b>Permitted quantity of discharge (CMD)</b>	<b>Standards to be achieved</b>	<b>Disposal</b>
1	Domestic Sewage	2.8	As per clause 'C'	100% Recycle
2	Trade effluent	0	As per clause 'C'	100% Recycle

## C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

<b>Sr. No.</b>	<b>Parameters</b>	<b>Discharge Standards applicable</b>
		Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C )	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

## D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

## E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.

## F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.

## G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.

## H. All Health Care Facilities irrespective of the bed capacity shall install scientifically designed disinfection facilities before discharging the effluent into sewer line or reuse in the premises as stipulated under Schedule II (6) of Biomedical waste Management Rules, 2016.

**Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)**

1. You shall observe following fuel pattern and erect following stack (s):

<b>Sr. No.</b>	<b>Stack Attached to</b>	<b>Fuel Type</b>	<b>Quantity</b>	<b>Stack Height (Mtr)</b>
1	NA	--	--	-

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
  - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
  - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
  - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
  - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
  - D.G. Set shall be operated only in case of power failure.
  - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
  - The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

**Authorization for Management of Bio-Medical Waste (Category and Quantity)**

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	20.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF S. S. Services, Kolhapur Municipal Corporation, Kolhapur Kolhapur
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	20.00		
		d) Expired or Discarded Medicines	10.00		
		e) Chemical Waste	0.00	Separate collection system leading to effluent treatment system.	
		f) Chemical Liquid Waste	0.00		
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	10.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	0.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	30.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF S. S. Services, Kolhapur Municipal Corporation, Kolhapur Kolhapur
3	White (Translucent)	Waste sharps including Metals	20.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF S. S. Services, Kolhapur Municipal Corporation, Kolhapur Kolhapur
4	Blue	a) Glassware	10.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF S. S. Services, Kolhapur Municipal Corporation, Kolhapur Kolhapur
		b) Metallic body implants	10.00		

**Responsibilities of HCF**

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **S. S. Services, Kolhapur Municipal Corporation, Kolhapur** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Kolhapur and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

**Bank Guarantees**

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

<b>Sr.No</b>	<b>Activity / Condition to be Complied</b>	<b>Compliance Timeline (Months)</b>	<b>Bank Guarantee Amount</b>
<b>1A</b>	<b>Operation and Maintenance</b>		
1	To Segregate and Handle BMW as per Schedule I	Continuous	25,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	
<b>1B</b>	<b>Records</b>		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	15,000.00
2	To maintain records of BMW handed over to CBMWTFD	Continuous	
<b>2</b>	<b>Performance</b>		
1	To provide BMW separate storage facility as per guidelines of CPCB	Continuous	25,000.00
<b>Total</b>			<b>65,000.00</b>

**Note: You shall extend the existing submitted Bank Guarantee for the Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional. Submit a fresh Bank Guarantee for the newly added Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional.**

**The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days from the date of issue of Consent.**

**If the above Bank Guarantee is not submitted within stipulated period, then 12% interest will be levied as a penalty as per circular dtd 29/02/2024 No. BO/MPCB/AS(T)/Circular/B-240229FTS0122**

**General Conditions****The following general conditions shall apply:-**

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Kolhapur.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

---

This certificate is digitally & electronically signed.

---





Now here in after called as an MOU for association of **Anandi Shikshan Prasarak Mandal Kalambe Tarf Kale**. here after called as **Anandi Institute of Nursing Kalambe Tarf Kale**, Tal. Karveer, Dist. Kolhapur of the part with **Shree Datta Hospital, Balinge** registered under Societies registration Act and the Bombay public trusts Act and I registered office Karveer.

Run and maintain hospital in the **Shree Datta Hospital, Balinge** here after called as THE HOSPITAL of the second part, for service attachment of the B.Sc nursing Education institute to, **Anandi Shikshan Prasarak Mandal Kalambe Tarf Kale** of nursing pane. Where as Students of the said Nursing embracing all the speciation and the branches including nursing institution required to take specialized training and learning experience in clinical nursing embracing all the speculating and the branches including Training in operation theater and intensive care nursing during 4 year course of B.Sc. Nursing programmed, And whereas the side trues has approached the party **Shree Datta Hospital, Balinge**, And where the party of the second part of the trust established under the Bombay public charitable trust act and maintain the hospital in the name of **Shree Datta Hospital, Balinge** having the capacity of 50 beds and having all the infrastructure required for the student of B.Sc Nursing. And where the office of The Foundation has been accepted by the 'The Hospital and condition which fare mutually understood and agreed between the parties and which the parties here to desire to put in writing.

1. The MOU is excited on the initially for the period of 10 Years from the date of commencement of which may extended on mutual consent and agreement.

Commencement This MOU shall come into force and be effective form 09/05/2025.

2. The parties of the first part i.e **Anandi Shikshan Prasarak Mandal Kalambe Tarf Kale sanchalit Anandi Institute of Nursing, Kalambe Tarf Kale, Tal- Karveer, Dist- Kolhapur**

4. Shall send its 60 Student for the purpose of training and experience to the hospital of the second part.

5. Student to be place/clinical experience.

6. Initially the total number of student placed with be divided in 4 batches and the number may increase in the succeeding year.

7. Clinical area:

A) General duty: From Monday to Saturday except during vacation, tests and holiday of the hospital

B) The student of the B.Sc nursing shall be receiving clinical posting in Medical, Surgical Orthopedic wards, Maternity and OPD.

B) The student of the B. Sc nursing shall be supervised by their Supervisors in the wards.

8. All the student in every wards and OPD would be accompanied by their Supervisors in the wards for guiding teaching and demonstrating nursing procedures to the students.

9. No students will leave in any ward of department without being supervised by the supervisors appointed for that purpose by the foundation.

10. Rotation of the students will be planned by the nursing service department of the hospital i.e. Matron of the Hospital.

11. Inspection: the authorities appointed by the Government for the purpose of inspection for clinic specialties for the B.Sc Nursing programmed as under

A) Maharashtra State Board of Nursing & paramedical Education, Mumbai

B) Indian Nursing Council New Delhi

C) Maharashtra Nursing Council, Mumbai

D) Government of Maharashtra Mumbai



12. The demographic date of the required to finish at the time of inspection.


13. Consideration.

For their purpose of making the hospital available of training to the student and for providing clinical facilities to the Anandi Shikshan Prasarak Mandal Kalambe Tarf Kale is here by understood between the parties that the foundation shall pay a consideration amount of Rs.100/- per month per student during their clinical experience. The amount shall be paid by the Cheque Anandi Institute of Nursing, Kalambe Tarf Kale, Tal- Karveer, Dis- Kolhapur by the drawn in favor of Shree Datta Hospital, Balinge on or before the 10<sup>th</sup> of the every month.

14. Termination:-

In case this MOU not viable to the Parties here to for any reasons what so ever the Party shall liberty to termination this MOU by giving one month notice in advance to the other party.

In case any damage or loss to the Hospital through any Students the foundation will legal obligation to make good the same in totality. The decision of hospital shall be final in this regards.



*[Signature]*  
Chairman

Anandi Shikshan Prasarak Mandal  
Kalambe Tarf Kale,  
Tal. Karveer, Dist. Kolhapur.

*[Signature]*

Shree Datta Hospital, Balinge  
M.B.B.S  
Reg. No. 84714  
Shree Datta Hospital  
New Balinga, Tal. Karveer

**I Know The Deponent/Signatory Name is**

Mr. Anupam Kameshkar  
9028838464




Parties are informed to register the above document at register office on Proper Stamp

*[Signature]*  
10/05/2020  
**PRATAP B. JADHAV**  
Advocate & Notary  
"Rajaram Villa" 1631, C Ward  
Shivaji Road, Kolhapur

Notary Regl. Sr. No.

1201/2020

11 0 MAY 2025



## महाराष्ट्र शासन

GOVERNMENT OF MAHARASHTRA

### आरोग्य विभाग, जिल्हा परिषद कोल्हापूर

HEALTH DEPARTMENT ZILLA PARASHID KOLHAPUR

मुंबई शुभ्रूषा गृह नोंदणी अधिनियम, १९४९

Bombay Nursing Home Act of 1949

महाराष्ट्र शुभ्रूषा गृह नोंदणी नियम १९७३

Maharashtra Nursing Homes Registration Rules, 1973

महाराष्ट्र शुभ्रूषागृह नोंदणी अधिनियम (सुधारित) नियम २०२१

Maharashtra Nursing Homes Registration (Amendment) Rules 2021

### प्रमाणपत्र / CERTIFICATE

( मुंबई शुभ्रूषा गृह नोंदणी अधिनियम, १९४९ च्या कलम ५ अन्वये दिलेले प्रमाणपत्र )  
(Bombay Nursing Home Act of 1949 Registration Certificate issued under section 5)

Dr. Shri / Smt

Dr. Sardar Raghunath Patil

डॉ. श्री/श्रीमती

डॉ. सरदार रघुनाथ पाटील

Hospital name

Shri. Datta Hospital

रुग्णालयाचे नांव

श्री. दत्त हॉस्पिटल

Address

Padali Road, opp. shetkari sangh,  
A/P New Balinga Taluka Karvir Dist. Kolhapur.

पत्ता

पाडळी रोड, शेतकरी संघ समोर, मु. पो. नवे बालिंगा तालुका करवीर जिल्हा कोल्हापूर

नवीन नोंदणी/नूतनीकरणासाठी वरील नर्सिंग होम/मॅटर्निटी होमची नोंदणी करण्यात आली आहे. उक्त नर्सिंग होम / मॅटर्निटी होम चालविण्यास परवानगी दिली जात आहे. Above Nursing Home/Maternity Home has been registered for new registration / renewal. Permission is being granted to operate the said Nursing Home / Maternity Home.

Registration Number : 0079

नोंदणी क्रमांक :

Maternity Beds : 0020

प्रसूती खाटा :

Registration/renew Date :

नोंदणी/नूतनीकरण  
दिनांक :

02/03/2007

Nursing Beds : 0030

शुभ्रूषा खाटा :

Place : kolhapur

ठिकाणी : कोल्हापूर

Registration /Renewal Date :

नोंदणी/नूतनीकरण दिनांक

02/05/2025



This certificate shall be valid up to 31 March 2028

हे प्रमाणपत्र ३१ मार्च २०२८ पर्यंत वैध असेल.

ANIRUDDH A  
NANDKUMAR PIMPLE  
R PIMPLE  
Digitally signed by  
ANIRUDDHA  
NANDKUMAR  
PIMPLE  
Date: 2025.05.05  
18:21:28 +05:30

( DR. ANIRUDDHA PIMPLE )

District Health Officer  
Zilla Parishad Kolhapur

Note - In case of false information provided by Applicant,  
Registration Certificate will become null and void  
and legal action will be proceeded against him.

# MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 0231-2652952  
0231-2660448  
Fax: 0231-2652952  
Website: <http://mpcb.gov.in>  
Email: [rokolhapur@mpcb.gov.in](mailto:rokolhapur@mpcb.gov.in)



Maharashtra Pollution  
Control Board, Udyog  
Bhavan Building, Near  
Collectarate Office,  
Kolhapur - 416 002

**ORANGE/S.S.I**

**Date: 06/12/2025**

**No:- Format1.0/RO/UAN No.0000259907/CO/2512000472**

To,  
M/s. SHRI DATTA HOSPITAL  
Village Balinge, Tal-Karvir, Dist-Kolhapur.

Email: [shridattahospitalbalinge@gmail.com](mailto:shridattahospitalbalinge@gmail.com)  
Contact No.: 985.963707



*Combined Consent to 1st Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.*

- Ref:**
1. Combine Consent and Bio-Medical Waste Authorization granted by the Board vide no.MPCB-CONSENT-0000259907& BMW Auth No.
  2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 08/10/2025

After examining the proposal, The Maharashtra Pollution Control Board hereby grant 1st operate Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **30-09-2025 To 30-09-2031**
2. HCF Area : - Plot Area 300.00 M<sup>2</sup> with Built-up area 450.00 M<sup>2</sup>.
3. **Activities Included**
  - a. Total Number of Beds : **50 Nos.** 0079
    - i. General Beds : **50 Nos**
4. **Conditions under the Water (P&CP) Act, 1974:-**
  1. Quantity of total water consumption shall not exceed 3 M<sup>3</sup>/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
  2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
  3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

**5. Conditions under the Air (P&CP) Act,1981:-**

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

**6. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-**

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

<b>Sr No</b>	<b>Type of Waste</b>	<b>HW Category no.</b>	<b>Quantity</b>	<b>UOM</b>	<b>Disposal</b>
NA					

**7. Conditions under Solid Waste Management rules 2016**

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

**8. Conditions under BMW Management rules, 2016 (As Amended):-**

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
  2. You shall segregate and handover BMW to BMW T&D CTF **S. S. Services, Kolhapur Municipal Corporation, Kolhapur** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
  3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on [www.cpcb.nic.in](http://www.cpcb.nic.in) along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
  4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" ([www.cpcb.nic.in](http://www.cpcb.nic.in)).
- 9.** You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
- 10.** Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.

- 11.** You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
- 12.** This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
- 13.** You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
- 14.** Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
- 15.** This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
- 16.** You shall submit the bank guarantee as per schedule - III towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Kolhapur within 15 days. Non submission of B.G. in specified time shall attract revocation of this CCA without further notice
- 17.** Bank Guarantee is imposed as per Boards Circular No. MPCB/PSO/B-250424 FTS-0317 Dtd. 24/04/2025.

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.



**Received Consent/Authorization fee of -**

<b>Sr.No</b>	<b>Amount(Rs.)</b>	<b>Transaction/DR.No.</b>	<b>Date</b>	<b>Transaction Type</b>
1	15000.00	TXN2510001269	08/10/2025	Online Payment
2	5000.00	TXN2512000616	03/12/2025	Online Payment

**Copy to:**

1. Regional Officer, MPCB, Kolhapur and Sub-Regional Officer, MPCB, Kolhapur
2. Cheif Accounts Officer, MPCB,Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

**Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)**

## A. Water Consumption Details:-

<b>Sr. No.</b>	<b>Purpose for water consumed</b>	<b>Water consumption quantity (CMD)</b>
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	2.00
3.	Pathology Laboratory, Floor washing, Operation Theater	1.00
4.	Laundry	1.00
5.	Other such as agriculture, gardening, etc.	0.00

## B. Conditions for Sewage &amp; Effluent Generation, Treatment and Disposal:-

<b>Sr. No.</b>	<b>Description</b>	<b>Permitted quantity of discharge (CMD)</b>	<b>Standards to be achieved</b>	<b>Disposal</b>
1	Domestic Sewage	01	As per clause 'C'	Public sewers
2	Trade effluent	1	As per clause 'C'	Public sewers

## C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

<b>Sr. No.</b>	<b>Parameters</b>	<b>Standards for discharge in Public sewers</b>
1	pH Value	5.5-9.0
2	Suspended Solid mg/l	600
3	Oil and Grease mg/l	20
4	BOD mg/l	350
5	COD mg/l	Not applicable
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.
- H. All Health Care Facilities irrespective of the bed capacity shall install scientifically designed disinfection facilities before discharging the effluent into sewer line or reuse in the premises as stipulated under Schedule II (6) of Biomedical waste Management Rules, 2016.

**Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)**

1. You shall observe following fuel pattern and erect following stack (s):

<b>Sr. No.</b>	<b>Stack Attached to</b>	<b>Fuel Type</b>	<b>Quantity</b>	<b>Stack Height (Mtr)</b>
1	NA	--	--	-

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.

3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).

4. Conditions for D.G. Set:-

- a. Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
- b. Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
- c. You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
- d. Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
- e. A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
- f. D.G. Set shall be operated only in case of power failure.
- g. The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
- h. The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.

5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

**Authorization for Management of Bio-Medical Waste (Category and Quantity)**

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	2.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF S. S. Services, Kolhapur Municipal Corporation, Kolhapur Kolhapur
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	2.00		
		d) Expired or Discarded Medicines	2.00		
		e) Chemical Waste	3.00		
		f) Chemical Liquid Waste	2.00	Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	1.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	1.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	2.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF S. S. Services, Kolhapur Municipal Corporation, Kolhapur Kolhapur
3	White (Translucent)	Waste sharps including Metals	2.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF S. S. Services, Kolhapur Municipal Corporation, Kolhapur Kolhapur
4	Blue	a) Glassware	3.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF S. S. Services, Kolhapur Municipal Corporation, Kolhapur Kolhapur
		b) Metallic body implants	3.00		

**Responsibilities of HCF**

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **S. S. Services, Kolhapur Municipal Corporation, Kolhapur** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Kolhapur and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

**Bank Guarantees**

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

<b>Sr.No</b>	<b>Activity / Condition to be Complied</b>	<b>Compliance Timeline (Months)</b>	<b>Bank Guarantee Amount</b>
<b>1A</b>	<b>Operation and Maintenance</b>		
1	Towards comply the conditions mention in Combined Consent to Operate / Renewal and BMW authorization.	Continuous	20,000.00
<b>Total</b>			20,000.00

**Note: You shall extend the existing submitted Bank Guarantee for the Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional. Submit a fresh Bank Guarantee for the newly added Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional.**

**The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days from the date of issue of Consent.**

**If the above Bank Guarantee is not submitted within stipulated period, then 12% interest will be levied as a penalty as per circular dtd 29/02/2024 No. BO/MPCB/AS(T)/Circular/B-240229FTS0122**



**General Conditions**

**The following general conditions shall apply:-**

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Kolhapur.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

---

This certificate is digitally & electronically signed.

---






महाराष्ट्र MAHARASHTRA

© 2024 ©

DB 356773

- 9 MAY 2025


विभागांक Principal वि.नं. 221 स्वैय विनिमय रुपयें  
श्री Anandi Institute of Nursing ही 23 लाख  
Kalambe Tarf Kale, Tal. Karveer  
Dist. Kolhapur  
शेती रु. ( ) या स्टॅप मागितलेवरून रु. व  
असे स्टॅप मिळे



6 MAY 2025

STAMP HEAD CLERK  
TREASURY OFFICE  
KOLHAPUR (M.S.)

अदिनाश वसंतराव राजाध्याय  
स्टॅप वेंडर  
धि.प.क्र. ६५/१९९२ जोड नं. २६०१०१६  
२३२९ 'सी' भाऊसिंगजी रोड, कोल्हापूर.



MEMORANDUM OF UNDERTAKING BETWEEN

Anandi Shikshan Prasarak Mandal Kalambe Tarf Kale, Tal. Karveer, Dist. Kolhapur  
Sachalit Anandi Institute of Nursing Kalambe Tarf Kale, Tal. Karveer, Dist. Kolhapur

and

Shri Ram Multispecialty Hospital, Takala, Rajarampuri 2<sup>nd</sup> Lane, Kolhapur



Now here in after called as an MOU for association of **Anandi Shikshan Prasarak Mandal Kalambe Tarf Kale**.here after called as **Anandi Institute of Nursing KalambeTarf Kale** ,Tal. Karveer,Dist.Kolhapurof the part with**Shri Ram Multispecialty Hospital, Takala, Rajarampuri 2<sup>nd</sup> Lane, Kolhapur**registered under Societies registration Act and the Bombay public trusts Act andI registered office Karveer.

Run and maintain hospital in the **Shri Ram Multispecialty Hospital, Takala, Rajarampuri 2<sup>nd</sup> Lane, Kolhapur**hereafter called as THE HOSPITAL of the secondpart, forservice attachment of the **B.ScNursing** Education institute to,**AnandiShikshanPrasarakMandalKalambeTarf Kale**of nursing pane.Whereas Students of the said Nursing embracing all the speciation and the branches including nursing institution required to take specialized training and learning experience in clinical nursing embracing all the speculating and the branches including Training in operation theater and intensive care nursing during 4 year course of nursing education programmed,And whereas the side true's has approached the party **Shri Ram Multispecialty Hospital, Takala, Rajarampuri 2<sup>nd</sup> Lane, Kolhapur**And where the party of the second part of the trust established under the Bombay public charitable trust act and maintain the hospital in the name of **Shri Ram Multispecialty Hospital, Takala, Rajarampuri 2<sup>nd</sup> Lane, Kolhapur**And this hospital in multi-specialty super specialty Hospital Having the capacity of 50 beds and having all the infrastructure required for the student OF B.Sc. Nursing. And where the office of the foundationhas been accepted by the 'The Hospital and condition which fare mutually understood and agreed between the parties and which the parties here to desire to put in writing.

1. The MOU is executed on the initially for the period of 10 Years from the date of commencement of which may extended on mutual consent and agreement.
2. Commencement of this MOU shall come into force and be effective from 09/05/2025.
3. The parties of the first part i.e**Anandi Shikshan Prasarak Mandal Kalambe Tarf Kale sanchalit Anandi Institute of Nursing, Kalambe Tarf Kale, Tal- Karveer, Dist- Kolhapur.**
4. Shall send its 60 Student for the purpose of training and experience to the hospitalof the second part.
5. Student to be place/clinical experience.
6. Initially the total number of student placed with be divided in 4 batches and the number may increase in the succeeding year.
7. Clinical area:
  - A) General duty: From Monday to Saturday except during vacation,tests and holiday of the hospital
  - B) The student of the B.SC nursing shall be receiving in Medical, Surgical Orthopedic wards and OPD.
  - C) The student of the B.Sc nursing shall be receiving by their Supervisors in the wards for Orthopedic, Oncology, Cardiology, Neurology and OPD.
8. All the student in every wards and OPD would be accompanied by their Supervisors in the wards for guiding teaching and demonstrating nursing procedures to the student.
9. No students will leave in any ward of department without being supervised by the supervisors appointed for that purpose by the foundation.
10. Rotation of the students will be planned by the nursing service Department of the hospital i.e. Matron of the Hospital.
11. Inspection: the authorities appointed by the Government for the purpose of inspection for clinic specialties for the B.ScNursing programmed as under
  - A) Maharashtra State Board of Nursing & paramedical Education,Mumbai
  - B) Indian Nursing Council New Delhi
  - C) Maharashtra Nursing Council, Mumbai



D) Government of Maharashtra Mumbai

12. The demographic date of the required to finish at the time of inspection.

13. Consideration :-

For their purpose of making the hospital available of training to be the student and for providing clinical facilities to the **Anandi Shikshan Prasarak Mandal Kalambe Tarf Kale** is here by understood between the parties that the foundation shall pay a consideration amount of Rs.100/- per month per student during their clinical experience. The amount shall be paid by the Cheque **Anandi Institute of Nursing Kalambe Tarf Kale ,Tal- Karveer, Dis- Kolhapur** by the drawn in the favor of **Shri Ram Multispecialty Hospital, Takala, Rajarampuri 2<sup>nd</sup> Lane, Kolhapur** or before the 10<sup>th</sup> of the every month.

14. Termination:-

In case this MOU not viable to the Parties here to for any reasons what so ever the Party shall liberty to termination this MOU by giving one month notice in advance to the other party.

In case any damage or loss to the Hospital through any Students the foundation will legal obligation to make good the same in totality. The decision of hospital shall be final in this regards.

**Chairman**  
Anandi Shikshan Prasarak Mandal  
Anandi Shikshan Prasarak  
Mandal, Kalambe Tarf Kale,  
Tal. Karveer, Dist. Kolhapur

**Shri Ram Multispecialty Hospital,**  
**Takala, Rajarampuri 2<sup>nd</sup> Lane, Kolhapur**  
श्री राम मल्टीस्पेशलिटी हॉस्पिटल  
2/9 'ई' वार्ड, राजारामपुरी 2री मल्ला  
टाकाला कोल्हापूर ४९६००८  
फोन नं. २५२९८७९/२५२९०७९  
मो.नं. ७७२०८०७९७९



**I Know The Deponent/Signatory**

*Pratiksha*  
Mr. Anupam Kameshwar  
928858464



Parties are informed to register the above document at register office on Proper Stamp

**PRATAP B. JADHAV**  
Advocate & Notary  
"Rajaram Villa" 1631, C Ward  
Shivaji Road, Kolhapur

Notary Regl. Sr. No.

1200/2025

11 0 MAY 2025



## SS SERVICES

R S No.206, S S No. 29, E Ward, Kasaba Bawada,  
Near Drainage Plant, Behind Circuit House, Kolhapur, Maharashtra, India  
**Phone:** +91-9112476555 **Email:** ssserviceskop@gmail.com  
**Web:** https://ssservices.co.in



**Unique Registration No.: KOLHA-00320**



Offline QR



Online QR

### Registration Certificate

Outward No. : SSS/KOP/CER/2024-25/488

Date : 08-Mar-2025

This is to certify that, **Shri Ram Multispeciality Hospital, Rajarampuri 2nd Line ,Takala ,Tal- Karveer, Dist- Kolhapur.** is registered with **M/s. S S Services,** for management of Bio Medical waste in accordance with, the provision of Bio Medical Waste Management rules, 2016, as amended and in compliance with the provisions of CPCB guidelines.

- |   |   |   |                               |                                 |
|---|---|---|-------------------------------|---------------------------------|
| 1 | Authorized Person of HCE<br>(Name and Designation)                  | : | <b>Dr. Ramesh Nigade</b><br>: | <b>Doctor</b>                   |
| 2 | Bombay Nursing Home Act Registration Details                        |   |                               |                                 |
|   | a. BNH Registration No  | : |                               | <b>123</b>                      |
|   | b. BNH Issue Date   | : |                               | <b>03-Jun-2022</b>              |
|   | c. Total Number of Beds   | : |                               | <b>07</b>                       |
|   | d. BNH validity (Form 'C')  | : |                               | <b>31-Mar-2025</b>              |
| 3 | Common Treatment Facility Registration Details                      |   |                               |                                 |
|   | a. Date of Registration   | : |                               | <b>31-Dec-2020</b>              |
|   | b. No. of Beds Registered   | : |                               | <b>40</b>                       |
|   | c. Issue Date   | : |                               | <b>01-Apr-2025</b>              |
|   | d. Registration Validity  | : |                               | <b>31-Mar-2026</b>              |
| 4 | Renewal of CTF Membership (if applicable)                           |   |                               |                                 |
|   | a. Renewal Date   | : |                               | <b>31-Mar-2026</b>              |
|   | b. No. of Beds  | : |                               | <b>40</b>                       |
| 5 | MPCB Consents (Establish/ 1 <sup>st</sup> Operator/Renewal Details) |   |                               |                                 |
|   | a. Consent / CCA Number   | : |                               | <b>MPCB-CONSENT -0000213740</b> |
|   | b. Issue Date   | : |                               | <b>24-Jun-2024</b>              |
|   | c. Validity upto  | : |                               | <b>24-Jun-2024</b>              |

**Authorized Signature**

**Name** : Mr. Ashish Vilas Ghatge  
**Designation** : Partner

**Note:** HCF shall display copy of Registration Certificate at front Desk and Temporary BMW storage area.

# MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 0231-2652952  
0231-2660448  
Fax: 0231-2652952  
Website: <http://mpcb.gov.in>  
Email: [rokolhapur@mpcb.gov.in](mailto:rokolhapur@mpcb.gov.in)



Maharashtra Pollution  
Control Board, Udyog  
Bhavan Building, Near  
Collectarate Office,  
Kolhapur - 416 002

**GREEN/S.S.I**  
**No:- Format1.0/RO/UAN No.0000240644/CE/2507001793**

**Date: 15/07/2025**

**To,**  
**M/s Shri Ram Hospital,**  
**1182/1, E Ward, 2nd Lane, Rajarampuri (Takala), Tal-**  
**Karveer, Dist-Kolhapur**



**Your Service is Our Duty**

**Email:**[drrameshnigade@rediffmail.com](mailto:drrameshnigade@rediffmail.com)  
**Contact No.:**9823013077

*Grant consent to Establish under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.*

**Ref:** Your application for Combine Consent and Bio-Medical Waste Authorization dated 19/03/2025

After examining the proposal, The Maharashtra Pollution Control Board hereby grant consent to Establish to HCE under Section 25 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. Consent to Establish is granted upto commissioning of unit or 5 years from issuance of CCA, whichever is earlier.
2. HCF Area : - Plot Area 464.50 M<sup>2</sup> with Built-up area 1326.56 M<sup>2</sup>.
3. **Activities Included**
  - a. Total Number of Beds : **40 Nos.** (As per BNH certificate no. 000 valid upto 31-05-2025)
    - i. General Beds : **40 Nos**
4. **Conditions under the Water (P&CP) Act, 1974:-**
  1. Quantity of total water consumption shall not exceed 12 M<sup>3</sup>/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
  2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
  3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

**5. Conditions under the Air (P&CP) Act,1981:-**

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

**6. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-**

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

<b>Sr No</b>	<b>Type of Waste</b>	<b>HW Category no.</b>	<b>Quantity</b>	<b>UOM</b>	<b>Disposal</b>
1		0	As per Actual	--NA--	NA

**7. Conditions under Solid Waste Management rules 2016**

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

**8. Conditions under BMW Management rules, 2016 (As Amended):-**

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
  2. You shall segregate and handover BMW to BMW T&D CTF **S. S. Services, Kolhapur Municipal Corporation, Kolhapur** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
  3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on [www.cpcb.nic.in](http://www.cpcb.nic.in) along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
  4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" ([www.cpcb.nic.in](http://www.cpcb.nic.in)).
- 9.** You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.

10. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
11. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
12. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
13. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
14. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
15. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.



*Nikhil N. Gharat*

MPCB

56655239  
9120392a  
9d598bf3  
fdd6e2ea  
11fe0a7f  
3ce87c68  
80f0e925  
b196f755

Signed by: **Mr. Nikhil N. Gharat**  
Regional Officer  
For and on behalf of,  
**Maharashtra Pollution Control Board**  
rokolhapur@mpcb.gov.in  
2025-07-15 13:54:39 IST

**Received Consent/Authorization fee of -**

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	5000.00	TXN2503004634	19/03/2025	Online Payment

**Copy to:**

1. Regional Officer, MPCB, Kolhapur and Sub-Regional Officer, MPCB, Kolhapur
2. Chief Accounts Officer, MPCB, Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

**Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)**

## A. Water Consumption Details:-

<b>Sr. No.</b>	<b>Purpose for water consumed</b>	<b>Water consumption quantity (CMD)</b>
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	12.00
3.	Pathology Laboratory, Floor washing, Operation Theater	0.00
4.	Laundry	0.00
5.	Other such as agriculture, gardening, etc.	0.00

## B. Conditions for Sewage &amp; Effluent Generation, Treatment and Disposal:-

<b>Sr. No.</b>	<b>Description</b>	<b>Permitted quantity of discharge (CMD)</b>	<b>Standards to be achieved</b>	<b>Disposal</b>
1	Domestic Sewage	10	As per clause 'C'	Public sewers
2	Trade effluent	0	As per clause 'C'	Public sewers

## C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

<b>Sr. No.</b>	<b>Parameters</b>	<b>Standards for discharge in Public sewers</b>
1	pH Value	5.5-9.0
2	Suspended Solid mg/l	600
3	Oil and Grease mg/l	20
4	BOD mg/l	350
5	COD mg/l	Not applicable
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

## D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

## E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.

## F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.

## G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.

## H. All Health Care Facilities irrespective of the bed capacity shall install scientifically designed disinfection facilities before discharging the effluent into sewer line or reuse in the premises as stipulated under Schedule II (6) of Biomedical waste Management Rules, 2016.

**Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)**

1. You shall observe following fuel pattern and erect following stack (s):

<b>Sr. No.</b>	<b>Stack Attached to</b>	<b>Fuel Type</b>	<b>Quantity</b>	<b>Stack Height (Mtr)</b>
1	NA	--	--	-

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.

3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).

4. Conditions for D.G. Set:-

- a. Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
- b. Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
- c. You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
- d. Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
- e. A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
- f. D.G. Set shall be operated only in case of power failure.
- g. The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
- h. The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.

5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

**Authorization for Management of Bio-Medical Waste (Category and Quantity)**

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	60.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF S. S. Services, Kolhapur Municipal Corporation, Kolhapur Kolhapur
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	20.00		
		d) Expired or Discarded Medicines	15.00		
		e) Chemical Waste	15.00	Separate collection system leading to effluent treatment system.	
		f) Chemical Liquid Waste	0.00		
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	20.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	0.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	15.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF S. S. Services, Kolhapur Municipal Corporation, Kolhapur Kolhapur
3	White (Translucent)	Waste sharps including Metals	10.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF S. S. Services, Kolhapur Municipal Corporation, Kolhapur Kolhapur
4	Blue	a) Glassware	10.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF S. S. Services, Kolhapur Municipal Corporation, Kolhapur Kolhapur
		b) Metallic body implants	0.00		

**Responsibilities of HCF**

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **S. S. Services, Kolhapur Municipal Corporation, Kolhapur** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Kolhapur and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

**Bank Guarantees**

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

<b>Sr.No</b>	<b>Activity / Condition to be Complied</b>	<b>Compliance Timeline (Months)</b>	<b>Bank Guarantee Amount</b>
<b>1A</b>	<b>Performance</b>		
1	Compliance of CCA conditions	Continuous	20,000.00
<b>Total</b>			20,000.00

**Note: You shall extend the existing submitted Bank Guarantee for the Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional. Submit a fresh Bank Guarantee for the newly added Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional.**

**The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days from the date of issue of Consent.**

**If the above Bank Guarantee is not submitted within stipulated period, then 12% interest will be levied as a penalty as per circular dtd 29/02/2024 No. BO/MPCB/AS(T)/Circular/B-240229FTS0122**



**General Conditions****The following general conditions shall apply:-**

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Kolhapur.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

---

This certificate is digitally & electronically signed.

---

